

JOESandbox Cloud BASIC



**ID:** 518888

**Sample Name:**

KKveTTgaAAsecNNaaaa.arm7

**Cookbook:**

defaultlinuxfilecookbook.jbs

**Time:** 03:57:43

**Date:** 10/11/2021

**Version:** 34.0.0 Boulder Opal

# Table of Contents

Table of Contents	2
Linux Analysis Report KKveTTgaAAsecNNaaaa.arm7	4
Overview	4
General Information	4
Detection	4
Signatures	4
Classification	4
Analysis Advice	4
General Information	4
Process Tree	4
Yara Overview	5
Initial Sample	5
PCAP (Network Traffic)	5
Memory Dumps	5
Jbx Signature Overview	6
AV Detection:	6
Networking:	6
System Summary:	6
Stealing of Sensitive Information:	6
Remote Access Functionality:	6
Mitre Att&ck Matrix	6
Malware Configuration	7
Behavior Graph	7
Antivirus, Machine Learning and Genetic Malware Detection	7
Initial Sample	7
Dropped Files	8
Domains	8
URLs	8
Domains and IPs	8
Contacted Domains	8
Contacted IPs	8
Public	8
Runtime Messages	10
Joe Sandbox View / Context	10
IPs	10
Domains	11
ASN	11
JA3 Fingerprints	11
Dropped Files	11
Created / dropped Files	12
Static File Info	13
General	13
Static ELF Info	13
ELF header	13
Sections	13
Program Segments	14
Symbols	14
Network Behavior	30
Network Port Distribution	30
TCP Packets	31
System Behavior	31
Analysis Process: KKveTTgaAAsecNNaaaa.arm7 PID: 5224 Parent PID: 5116	31
General	31
File Activities	31
File Read	31
Analysis Process: KKveTTgaAAsecNNaaaa.arm7 PID: 5245 Parent PID: 5224	31
General	31
Analysis Process: KKveTTgaAAsecNNaaaa.arm7 PID: 5246 Parent PID: 5224	31
General	31
File Activities	32
File Read	32
Analysis Process: KKveTTgaAAsecNNaaaa.arm7 PID: 5249 Parent PID: 5246	32
General	32
Analysis Process: KKveTTgaAAsecNNaaaa.arm7 PID: 5252 Parent PID: 5246	32
General	32
File Activities	32
File Read	32
Directory Enumerated	32
Analysis Process: KKveTTgaAAsecNNaaaa.arm7 PID: 5256 Parent PID: 5246	32
General	32
Analysis Process: KKveTTgaAAsecNNaaaa.arm7 PID: 5258 Parent PID: 5246	32
General	32
File Activities	33
File Read	33
Directory Enumerated	33
Analysis Process: KKveTTgaAAsecNNaaaa.arm7 PID: 5260 Parent PID: 5246	33
General	33
Analysis Process: KKveTTgaAAsecNNaaaa.arm7 PID: 5265 Parent PID: 5260	33

General	33
Analysis Process: KKveTTgaAAsecNNaaaa.arm7 PID: 5261 Parent PID: 5246	33
General	33
Analysis Process: systemd PID: 5267 Parent PID: 1	33
General	33
Analysis Process: journalctl PID: 5267 Parent PID: 1	34
General	34
File Activities	34
File Read	34
Analysis Process: systemd PID: 5282 Parent PID: 1	34
General	34
Analysis Process: systemd-journald PID: 5282 Parent PID: 1	34
General	34
File Activities	34
File Deleted	34
File Read	34
File Written	34
File Moved	34
Directory Enumerated	34
Directory Created	34
Analysis Process: xfce4-session PID: 5285 Parent PID: 1900	34
General	34
Analysis Process: xfsettingsd PID: 5285 Parent PID: 1900	35
General	35
File Activities	35
File Read	35
Analysis Process: xfsettingsd PID: 5292 Parent PID: 5285	35
General	35
File Activities	35
File Read	35
Directory Enumerated	35
Analysis Process: xfce4-session PID: 5293 Parent PID: 1900	35
General	35
Analysis Process: xfsettingsd PID: 5293 Parent PID: 1900	35
General	35
File Activities	36
File Read	36
Analysis Process: xfsettingsd PID: 5296 Parent PID: 5293	36
General	36
File Activities	36
File Read	36
Analysis Process: xfce4-session PID: 5297 Parent PID: 1900	36
General	36
Analysis Process: xfsettingsd PID: 5297 Parent PID: 1900	36
General	36
File Activities	36
File Read	36
Analysis Process: xfsettingsd PID: 5300 Parent PID: 5297	36
General	37
File Activities	37
File Read	37
Analysis Process: xfce4-session PID: 5301 Parent PID: 1900	37
General	37
Analysis Process: xfsettingsd PID: 5301 Parent PID: 1900	37
General	37
File Activities	37
File Read	37
Analysis Process: xfsettingsd PID: 5306 Parent PID: 5301	37
General	37
File Activities	37
File Read	37
Analysis Process: xfce4-session PID: 5307 Parent PID: 1900	38
General	38
Analysis Process: xfsettingsd PID: 5307 Parent PID: 1900	38
General	38
File Activities	38
File Read	38
Analysis Process: xfsettingsd PID: 5310 Parent PID: 5307	38
General	38
File Activities	38
File Read	38
Analysis Process: systemd PID: 5315 Parent PID: 1	38
General	38
Analysis Process: journalctl PID: 5315 Parent PID: 1	38
General	39
File Activities	39
File Read	39

# Linux Analysis Report KKveTTgaAAsecNNaaaa.arm7

## Overview

### General Information

Sample Name:	KKveTTgaAAsecNNaaaa.arm7
Analysis ID:	518888
MD5:	97b077cb62ee38..
SHA1:	a800c58b51de80..
SHA256:	d6378301896dfef.
Tags:	Mirai
Infos:	

### Detection

**MALICIOUS**

**SUSPICIOUS**

**CLEAN**

**UNKNOWN**


**Mirai**

Score:	76
Range:	0 - 100
Whitelisted:	false

### Signatures

- Snort IDS alert for network traffic (e...
- Yara detected Mirai
- Multi AV Scanner detection for subm...
- Contains symbols with names comm...
- Yara signature match
- Reads system information from the ...
- Uses the "uname" system call to qu...
- Enumerates processes within the "p...
- Tries to connect to HTTP servers, b...
- Detected TCP or UDP traffic on non...
- Sample listens on a socket
- Sample tries to kill a process (SIGK...

### Classification



## Analysis Advice

Static ELF header machine description suggests that the sample might only run correctly on MIPS or ARM architectures

All HTTP servers contacted by the sample do not answer. Likely the sample is an old dropper which does no longer work

Static ELF header machine description suggests that the sample might not execute correctly on this machine

## General Information

Joe Sandbox Version:	34.0.0 Boulder Opal
Analysis ID:	518888
Start date:	10.11.2021
Start time:	03:57:43
Joe Sandbox Product:	CloudBasic
Overall analysis duration:	0h 5m 4s
Hypervisor based Inspection enabled:	false
Report type:	light
Sample file name:	KKveTTgaAAsecNNaaaa.arm7
Cookbook file name:	defaultlinuxfilecookbook.jbs
Analysis system description:	Ubuntu Linux 20.04 x64 (Kernel 5.4.0-72, Firefox 91.0, Evince Document Viewer 3.36.10, LibreOffice 6.4.7.2, OpenJDK 11.0.11)
Analysis Mode:	default
Detection:	MAL
Classification:	mal76.troj.linARM7@0/4@0/0
Warnings:	Show All

## Process Tree

- **system is Inxubuntu20**
- **KKveTTgaAAsecNNaaaa.arm7** (PID: 5224, Parent: 5116, MD5: 5ebfcae4fe2471fcc5695c2394773ff1) Arguments: /tmp/KKveTTgaAAsecNNaaaa.arm7
  - **KKveTTgaAAsecNNaaaa.arm7** New Fork (PID: 5245, Parent: 5224)
  - **KKveTTgaAAsecNNaaaa.arm7** New Fork (PID: 5246, Parent: 5224)
    - **KKveTTgaAAsecNNaaaa.arm7** New Fork (PID: 5249, Parent: 5246)
    - **KKveTTgaAAsecNNaaaa.arm7** New Fork (PID: 5252, Parent: 5246)
    - **KKveTTgaAAsecNNaaaa.arm7** New Fork (PID: 5256, Parent: 5246)
    - **KKveTTgaAAsecNNaaaa.arm7** New Fork (PID: 5258, Parent: 5246)
    - **KKveTTgaAAsecNNaaaa.arm7** New Fork (PID: 5260, Parent: 5246)
      - **KKveTTgaAAsecNNaaaa.arm7** New Fork (PID: 5265, Parent: 5260)
    - **KKveTTgaAAsecNNaaaa.arm7** New Fork (PID: 5261, Parent: 5246)
  - **systemd** New Fork (PID: 5267, Parent: 1)
  - **journalctl** (PID: 5267, Parent: 1, MD5: bf3a987344f3bacafc44efd882abda8b) Arguments: /usr/bin/journalctl --smart-relinquish-var
  - **systemd** New Fork (PID: 5282, Parent: 1)
  - **systemd-journald** (PID: 5282, Parent: 1, MD5: 474667ece6cecb5e04c6eb897a1d0d9e) Arguments: /lib/systemd/systemd-journald
  - **xfce4-session** New Fork (PID: 5285, Parent: 1900)
  - **xfsettingsd** (PID: 5285, Parent: 1900, MD5: d7ae7090131cf73e021f6c89515f984b) Arguments: xfsettingsd --display :1.0 --sm-client-id 2eab19738-df3b-455c-ba97-1de80472a7b4
    - **xfsettingsd** New Fork (PID: 5292, Parent: 5285)
  - **xfce4-session** New Fork (PID: 5293, Parent: 1900)
  - **xfsettingsd** (PID: 5293, Parent: 1900, MD5: d7ae7090131cf73e021f6c89515f984b) Arguments: xfsettingsd --display :1.0 --sm-client-id 2eab19738-df3b-455c-ba97-1de80472a7b4
    - **xfsettingsd** New Fork (PID: 5296, Parent: 5293)
  - **xfce4-session** New Fork (PID: 5297, Parent: 1900)
  - **xfsettingsd** (PID: 5297, Parent: 1900, MD5: d7ae7090131cf73e021f6c89515f984b) Arguments: xfsettingsd --display :1.0 --sm-client-id 2eab19738-df3b-455c-ba97-1de80472a7b4
    - **xfsettingsd** New Fork (PID: 5300, Parent: 5297)
  - **xfce4-session** New Fork (PID: 5301, Parent: 1900)
  - **xfsettingsd** (PID: 5301, Parent: 1900, MD5: d7ae7090131cf73e021f6c89515f984b) Arguments: xfsettingsd --display :1.0 --sm-client-id 2eab19738-df3b-455c-ba97-1de80472a7b4
    - **xfsettingsd** New Fork (PID: 5306, Parent: 5301)
  - **xfce4-session** New Fork (PID: 5307, Parent: 1900)
  - **xfsettingsd** (PID: 5307, Parent: 1900, MD5: d7ae7090131cf73e021f6c89515f984b) Arguments: xfsettingsd --display :1.0 --sm-client-id 2eab19738-df3b-455c-ba97-1de80472a7b4
    - **xfsettingsd** New Fork (PID: 5310, Parent: 5307)
  - **systemd** New Fork (PID: 5315, Parent: 1)
  - **journalctl** (PID: 5315, Parent: 1, MD5: bf3a987344f3bacafc44efd882abda8b) Arguments: /usr/bin/journalctl --flush
  - **cleanup**

## Yara Overview

### Initial Sample

Source	Rule	Description	Author	Strings
KKveTTgaAAsecNNaaaa.arm7	SUSP_XORed_Mozilla	Detects suspicious XORed keyword - Mozilla/5.0	Florian Roth	<ul style="list-style-type: none"> <li>• 0x1c0fc:\$x01: Dfs`eeh&lt;&lt;9</li> <li>• 0x1c174:\$x01: Dfs`eeh&lt;&lt;9</li> <li>• 0x1c1e8:\$x01: Dfs`eeh&lt;&lt;9</li> <li>• 0x1c258:\$x01: Dfs`eeh&lt;&lt;9</li> <li>• 0x1c2a4:\$x01: Dfs`eeh&lt;&lt;9</li> </ul>
KKveTTgaAAsecNNaaaa.arm7	JoeSecurity_Mirai_8	Yara detected Mirai	Joe Security	

### PCAP (Network Traffic)


Source	Rule	Description	Author	Strings
dump.pcap	JoeSecurity_Mirai_12	Yara detected Mirai	Joe Security	

### Memory Dumps

Source	Rule	Description	Author	Strings
5258.1.00000000592e3fc5.000000008cecedc1.rw.sdmp	SUSP_XORed_Mozilla	Detects suspicious XORed keyword - Mozilla/5.0	Florian Roth	<ul style="list-style-type: none"> <li>• 0x3b90:\$x01: Dfs`eeh&lt;&lt;9</li> <li>• 0x3c10:\$x01: Dfs`eeh&lt;&lt;9</li> <li>• 0x3c88:\$x01: Dfs`eeh&lt;&lt;9</li> <li>• 0x3d00:\$x01: Dfs`eeh&lt;&lt;9</li> <li>• 0x3d50:\$x01: Dfs`eeh&lt;&lt;9</li> </ul>
5252.1.000000002095a7a8.00000000414f653d.r-x.sdmp	SUSP_XORed_Mozilla	Detects suspicious XORed keyword - Mozilla/5.0	Florian Roth	<ul style="list-style-type: none"> <li>• 0x1c0fc:\$x01: Dfs`eeh&lt;&lt;9</li> <li>• 0x1c174:\$x01: Dfs`eeh&lt;&lt;9</li> <li>• 0x1c1e8:\$x01: Dfs`eeh&lt;&lt;9</li> <li>• 0x1c258:\$x01: Dfs`eeh&lt;&lt;9</li> <li>• 0x1c2a4:\$x01: Dfs`eeh&lt;&lt;9</li> </ul>
5224.1.000000002095a7a8.00000000414f653d.r-x.sdmp	SUSP_XORed_Mozilla	Detects suspicious XORed keyword - Mozilla/5.0	Florian Roth	<ul style="list-style-type: none"> <li>• 0x1c0fc:\$x01: Dfs`eeh&lt;&lt;9</li> <li>• 0x1c174:\$x01: Dfs`eeh&lt;&lt;9</li> <li>• 0x1c1e8:\$x01: Dfs`eeh&lt;&lt;9</li> <li>• 0x1c258:\$x01: Dfs`eeh&lt;&lt;9</li> <li>• 0x1c2a4:\$x01: Dfs`eeh&lt;&lt;9</li> </ul>
5246.1.00000000592e3fc5.000000008cecedc1.rw.sdmp	SUSP_XORed_Mozilla	Detects suspicious XORed keyword - Mozilla/5.0	Florian Roth	<ul style="list-style-type: none"> <li>• 0x3b90:\$x01: Dfs`eeh&lt;&lt;9</li> <li>• 0x3c10:\$x01: Dfs`eeh&lt;&lt;9</li> <li>• 0x3c88:\$x01: Dfs`eeh&lt;&lt;9</li> <li>• 0x3d00:\$x01: Dfs`eeh&lt;&lt;9</li> <li>• 0x3d50:\$x01: Dfs`eeh&lt;&lt;9</li> </ul>

Source	Rule	Description	Author	Strings
5245.1.000000002095a7a8.00000000414f653d.r-x.sdmp	SUSP_XORed_Mozilla	Detects suspicious XORed keyword - Mozilla/5.0	Florian Roth	<ul style="list-style-type: none"> <li>0x1c0fc:\$x01: Dfs`eeh&lt;&lt;9</li> <li>0x1c174:\$x01: Dfs`eeh&lt;&lt;9</li> <li>0x1c1e8:\$x01: Dfs`eeh&lt;&lt;9</li> <li>0x1c258:\$x01: Dfs`eeh&lt;&lt;9</li> <li>0x1c2a4:\$x01: Dfs`eeh&lt;&lt;9</li> </ul>
Click to see the 10 entries				

## Jbx Signature Overview



- AV Detection
- Networking
- System Summary
- Persistence and Installation Behavior
- Malware Analysis System Evasion
- Stealing of Sensitive Information
- Remote Access Functionality

Click to jump to signature section

### AV Detection:

Multi AV Scanner detection for submitted file

### Networking:

Snort IDS alert for network traffic (e.g. based on Emerging Threat rules)

### System Summary:

Contains symbols with names commonly found in malware

### Stealing of Sensitive Information:

Yara detected Mirai

### Remote Access Functionality:

Yara detected Mirai

## Mitre Att&ck Matrix


Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects	Impact
Valid Accounts	Windows Management Instrumentation	Path Interception	Path Interception	Direct Volume Access	OS Credential Dumping 1	Security Software Discovery 1 1	Remote Services	Data from Local System	Exfiltration Over Other Network Medium	Encrypted Channel 1	Eavesdrop on Insecure Network Communication	Remotely Track Device Without Authorization	Modify System Partition

Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Exfiltration	Command and Control	Network Effects	Remote Service Effects	Impact
Default Accounts	Scheduled Task/Job	Boot or Logon Initialization Scripts	Boot or Logon Initialization Scripts	Rootkit	LSASS Memory	System Information Discovery 1	Remote Desktop Protocol	Data from Removable Media	Exfiltration Over Bluetooth	Non-Standard Port 1	Exploit SS7 to Redirect Phone Calls/SMS	Remotely Wipe Data Without Authorization	Device Lockout
Domain Accounts	At (Linux)	Logon Script (Windows)	Logon Script (Windows)	Obfuscated Files or Information	Security Account Manager	Query Registry	SMB/Windows Admin Shares	Data from Network Shared Drive	Automated Exfiltration	Application Layer Protocol 1	Exploit SS7 to Track Device Location	Obtain Device Cloud Backups	Delete Device Data

## Malware Configuration

No configs have been found

## Behavior Graph



## Antivirus, Machine Learning and Genetic Malware Detection

### Initial Sample

Source	Detection	Scanner	Label	Link
KKveTTgaAAsecNNaaaa.arm7	40%	VirusTotal		<a href="#">Browse</a>
KKveTTgaAAsecNNaaaa.arm7	51%	ReversingLabs	Linux.Trojan.Mirai	

## Dropped Files

No Antivirus matches

## Domains

No Antivirus matches

## URLs

No Antivirus matches

## Domains and IPs

### Contacted Domains

No contacted domains info

### Contacted IPs

## Public

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
32.130.138.188	unknown	United States		2686	ATGS-MMD-ASUS	false
74.64.178.97	unknown	United States		12271	TWC-12271-NYCUS	false
80.67.177.26	unknown	France		20766	GITOYEN-MAIN-ASThemainAutonomousSystemofGitoyenParis	false
94.8.118.238	unknown	United Kingdom		5607	BSKYB-BROADBAND-ASGB	false
174.192.30.205	unknown	United States		22394	CELLCOUS	false
206.11.222.194	unknown	United States		5006	VOYANTUS	false
187.73.108.52	unknown	Brazil		53048	CELANTESERVICOSDETELECOMUNICACOESLTDA-EPPBR	false
177.9.11.112	unknown	Brazil		27699	TELEFONICABRASILSABR	false
17.227.111.52	unknown	United States		714	APPLE-ENGINEERINGUS	false
77.18.182.178	unknown	Norway		2119	TELENOR-NEXTEL Telenor Norge AS NO	false
68.113.18.244	unknown	United States		20115	CHARTER-20115US	false
202.157.221.254	unknown	China		9892	ICONZ-WEBVISIONS-APIconz-WebvisionsPteLtdSG	false
154.22.18.26	unknown	United States		174	COGENT-174US	false
177.179.23.52	unknown	Brazil		7738	TelemarNorteLesteSABR	false
209.18.212.203	unknown	United States		5006	VOYANTUS	false
153.66.188.236	unknown	United States		14962	NCR-252US	false
211.76.120.111	unknown	Taiwan; Republic of China (ROC)		9924	TFN-TWTaiwanFixedNetworkTelecomandNetworkServiceProvider	false
9.164.35.227	unknown	United States		3356	LEVEL3US	false
146.93.50.19	unknown	United States		18709	BOTWUS	false
173.228.194.221	unknown	Puerto Rico		10396	COQUI-NETPR	false
139.145.68.30	unknown	Norway		25400	TELIA-NORWAY-ASTeliaNorwayCoreNetworksNO	false
223.63.116.214	unknown	Korea Republic of		9644	SKTELECOM-NET-ASSKTelecomKR	false
108.133.84.119	unknown	United States		16509	AMAZON-02US	false
119.237.33.202	unknown	Hong Kong		4760	HKTIMS-APHKTLimitedHK	false
168.162.119.174	unknown	United States		38027	MOST-AS-APIInformationCenterMinistryofSciandTechCN	false
31.233.178.41	unknown	Germany		3320	DTAGInternetserviceprovideroperationsDE	false
82.103.70.71	unknown	Bulgaria		44179	TELERIK-ASBG	false

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
193.113.235.150	unknown	United Kingdom		2856	BT-UK-ASBtnetUKRegionalnetworkGB	false
216.22.80.196	unknown	United States		25612	DSL-EXPRESSUS	false
39.182.141.160	unknown	China		56041	CMNET-ZHEJIANG-APChinaMobilecommunicationscorporationC	false
74.215.11.114	unknown	United States		6181	FUSE-NETUS	false
91.37.40.147	unknown	Germany		3320	DTAGInternetserviceprovideroperationsDE	false
85.158.71.233	unknown	United Kingdom		8190	MDNXGB	false
213.224.55.73	unknown	Belgium		6848	TELENET-ASBE	false
179.188.35.4	unknown	Brazil		27715	LocawebServicosdelInternetSABR	false
201.237.215.5	unknown	Costa Rica		11830	InstitutoCostarricensedeElectricidadTelecomCR	false
46.43.178.118	unknown	United Kingdom		39477	MUNDIO-MOBILEGB	false
106.37.167.226	unknown	China		4847	CNIX-APChinaNetworksInter-ExchangeCN	false
2.122.196.76	unknown	United Kingdom		5607	BSKYB-BROADBAND-ASGB	false
1.192.168.89	unknown	China		4134	CHINANET-BACKBONENo31JinrongStreetCN	false
14.201.87.45	unknown	Australia		7545	TPG-INTERNET-APTGPTelecomLimitedAU	false
197.167.121.151	unknown	Egypt		24863	LINKdotNET-ASEG	false
60.24.250.224	unknown	China		4837	CHINA169-BACKBONECHINAUNICOMChina169BackboneCN	false
48.185.135.84	unknown	United States		2686	ATGS-MMD-ASUS	false
194.243.251.247	unknown	Italy		3269	ASN-IBSNAZIT	false
130.183.226.47	unknown	Germany		680	DFNVerein zur Foerderung eines Deutschen Forschungsnetzes	false
194.14.143.29	unknown	Sweden		2116	ASN-CATCHCOMNO	false
77.243.72.129	unknown	Malta		33874	VFM-ASVodafoneMaltaLtdASMT	false
53.74.124.133	unknown	Germany		31399	DAIMLER-ASITIGNGlobalNetworkDE	false
31.25.41.102	unknown	Germany		41998	NETCOMBW-ASDE	false
20.175.0.166	unknown	United States		8075	MICROSOFT-CORP-MSN-AS-BLOCKUS	false
183.139.110.16	unknown	China		4134	CHINANET-BACKBONENo31JinrongStreetCN	false
12.85.179.33	unknown	United States		7018	ATT-INTERNET4US	false
47.99.128.220	unknown	China		37963	CNNIC-ALIBABA-CN-NET-APHangzhouAlibabaAdvertisingCoLtd	false
165.48.116.46	unknown	United States		37053	RSASWEB-ASZA	false
99.91.69.28	unknown	United States		7018	ATT-INTERNET4US	false
150.252.25.10	unknown	United States		32601	ACUNET-2US	false
174.117.203.139	unknown	Canada		812	ROGERS-COMMUNICATIONSCA	false
24.171.57.145	unknown	United States		20115	CHARTER-20115US	false
172.213.145.23	unknown	United States		18747	IFX18747US	false
192.81.147.169	unknown	United States		23500	EISUS	false
145.58.148.244	unknown	Netherlands		25182	PUBLIEKE-OMROEP-ASNPNederlandsePubliekeOmroepNL	false
78.113.7.231	unknown	France		8228	CEGETEL-ASFR	false
208.145.68.229	unknown	United States		3561	CENTURYLINK-LEGACY-SAVVISUS	false
67.180.177.80	unknown	United States		7922	COMCAST-7922US	false
183.243.12.19	unknown	China		56048	CMNET-BEIJING-APChinaMobileCommunicationsCorporationCN	false
168.70.158.104	unknown	Hong Kong		4760	HKTIMS-APHKTLimitedHK	false
4.214.119.234	unknown	United States		3356	LEVEL3US	false
87.237.137.155	unknown	Russian Federation		39045	GAZTELECOM-ASRU	false

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
181.48.167.169	unknown	Colombia		14080	TelmexColombiaSACO	false
101.5.188.184	unknown	China		4538	ERX-CERNET-BKChinaEducationandResearchNetworkCenter	false
194.207.209.201	unknown	United Kingdom		12390	KINGSTON-UK-ASGB	false
108.15.44.242	unknown	United States		701	UUNETUS	false
169.9.176.19	unknown	United States		203	CENTURYLINK-LEGACY-LVLT-203US	false
123.16.27.159	unknown	Viet Nam		45899	VNPT-AS-VNVNPTCorpVN	false
108.196.66.18	unknown	United States		7018	ATT-INTERNET4US	false
24.220.99.217	unknown	United States		11232	MIDCO-NETUS	false
188.16.229.238	unknown	Russian Federation		12389	ROSTELECOM-ASRU	false
89.10.128.163	unknown	Norway		15659	NEXTGENTELNEXTGENTELAutonomousSystemNO	false
207.137.32.222	unknown	United States		10708	SELECTNET-ASUS	false
114.73.201.99	unknown	Australia		4804	MPX-ASMicroplexPTYLTAU	false
44.83.70.248	unknown	United States		7377	UCSDUS	false
14.205.123.111	unknown	China		4837	CHINA169-BACKBONECHINAUNICOMChina169BackboneCN	false
141.36.151.30	unknown	Germany		680	DFNVerein zur Foerderung eines Deutschen Forschungsnetzes	false
89.112.215.202	unknown	Russian Federation		3216	SOVAM-ASRU	false
196.226.4.147	unknown	Tunisia		37492	ORANGE-TN	false
133.14.221.158	unknown	Japan		2907	SINET-ASResearchOrganization of Information and SystemsN	false
182.98.16.40	unknown	China		4134	CHINANET-BACKBONENo31JinrongStreetCN	false
90.201.25.146	unknown	United Kingdom		5607	BSKYB-BROADBAND-ASGB	false
182.133.95.249	unknown	China		4134	CHINANET-BACKBONENo31JinrongStreetCN	false
95.145.47.99	unknown	United Kingdom		12576	EELtdGB	false
13.50.219.62	unknown	United States		16509	AMAZON-02US	false
65.206.5.153	unknown	United States		46578	AS46578US	false
91.142.254.66	unknown	Netherlands		21155	ASN-PROSERVEAmsterdamNL	false
34.217.158.253	unknown	United States		16509	AMAZON-02US	false
43.97.188.89	unknown	Japan		4249	LILLY-ASUS	false
166.74.232.253	unknown	United States		7018	ATT-INTERNET4US	false
161.156.204.166	unknown	United States		36351	SOFTLAYERUS	false
9.134.175.218	unknown	United States		3356	LEVEL3US	false
31.99.121.7	unknown	United Kingdom		12576	EELtdGB	false

## Runtime Messages

Command:	/tmp/KKveTTgaAAsecNNaaaa.arm7
Exit Code:	0
Exit Code Info:	
Killed:	False
Standard Output:	xXxSlicexXxxVEGA.
Standard Error:	

## Joe Sandbox View / Context

### IPs

Match	Associated Sample Name / URL	SHA 256	Detection	Link	Context
168.162.119.174	GaSBpMyVub	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	

## Domains

No context

## ASN

Match	Associated Sample Name / URL	SHA 256	Detection	Link	Context
ATGS-MMD-ASUS	sora.arm7	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 48.235.60.188
	arm	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 57.223.59.4
	sora.arm	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 32.61.222.246
	KKveTTgaAAsecNNaaaa.arm	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 32.130.149.32
	QaCRsRGMb	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 51.58.121.63
	27xJuvfMM	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 48.89.81.191
	x86_64	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 48.37.111.204
	arm	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 57.20.69.167
	arm6	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 32.12.117.185
	arm5	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 51.188.186.25
	GB001NUtmJ	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 34.179.176.100
	4DrtSJOLjr	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 57.237.59.102
	LAQh74RNEI	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 51.3.107.12
	dYgJ72oG4f	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 48.2.87.129
	Kz2SeJpaxw	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 34.171.56.126
	O4aHLhCviL	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 34.167.178.223
	fMGehkjmPv	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 34.169.234.166
	Rrk5lgZ6gZ	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 34.189.194.230
	BKyU0T5xcw	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 48.67.72.123
	skonwRkAIJ	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 48.35.125.69
TWC-12271-NYCUS	KKveTTgaAAsecNNaaaa.arm	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 24.161.67.215
	arm	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 74.64.154.86
	Kz2SeJpaxw	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 184.74.156.0
	BKyU0T5xcw	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 74.66.47.4
	WcBBoVjwRf	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 108.176.28.33
	7L38cWaJpW	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 68.173.251.99
	F0ihkIMdf2	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 74.66.251.2
	HdZlgkO5be	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 76.15.160.88
	mips-20211103-0152	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 74.68.239.29
	sora.arm	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 76.15.147.55
	sora.x86	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 69.193.221.4
	sora.arm	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 72.225.180.234
	arH2Af5qoc	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 172.254.73.194
	mxHkqAIYT0	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 74.73.236.181
	aep.x86	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 64.131.165.111
	8MPbeDAwwZ	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 98.15.243.192
	XsOPMn85CN	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 158.222.252.117
	Tsunami.x86	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 98.15.44.70
	x86	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 67.243.222.223
	Z7QqCH0bak	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 24.215.190.164
GITOYEN-MAIN-ASThemainAutonomousSystemofGitoyenParis	tqQd9hibj0	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 80.67.177.32
	YazlX01sZD	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 185.57.124.10
	uooJsVQqw.exe	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 80.67.172.162
	reservation.pdf.exe	<a href="#">Get hash</a>	malicious	<a href="#">Browse</a>	• 80.67.172.162

## JA3 Fingerprints

No context

## Dropped Files

No context

## Created / dropped Files

### /run/systemd/journal/streams/.#9:74909sRlrzC

Process:	/lib/systemd/systemd-journald
File Type:	ASCII text
Category:	dropped
Size (bytes):	223
Entropy (8bit):	5.513153612691522
Encrypted:	false
SSDEEP:	3:SbFVVMFyInKMsPOYsn9ms954Hh6SnLAqC+h6KV+h6CQzuxmzfch7RS0Dkin9lsjq:SbFuFyLVlg1BG+ff+MW7R9DB92ji4s
MD5:	493EADEDAFF8846E7E65936409B4FD43
SHA1:	0A4E5782838AEED27D0C24F26E97EAC56EF1D13E
SHA-256:	2BEB53BFDFAF52CCF21ACA723E7C0229D1AFC5A3BF3D732C8B867D8C8EFE109CA
SHA-512:	9B1D70AD0644E4F306D2345677EAC4921054CC41C695FFDB801C1A03A939D585C1D570AC165A563342798B3D939AA76F5921AABBC2FEF5BFCF91A7D453DC9B9
Malicious:	false
Reputation:	low
Preview:	# This is private data. Do not parse.PRIORITY=30.LEVEL_PREFIX=1.FORWARD_TO_SYSLOG=0.FORWARD_TO_KMSG=0.FORWARD_TO_CONSOLE=0.STREAM_ID=9ff9ea6a588d47e48dbad25705ee2082.IDENTIFIER=journalctl.UNIT=systemd-journal-flush.service.

### /run/systemd/journal/streams/.#9:74914GLndJA

Process:	/lib/systemd/systemd-journald
File Type:	ASCII text
Category:	dropped
Size (bytes):	223
Entropy (8bit):	5.5429844560520385
Encrypted:	false
SSDEEP:	3:SbFVVMFyInKMsPOYsn9ms954Hh6SnLAqC+h6KV+h6CQzuxmzmoAtE2ySbMqjs77:SbFuFyLVlg1BG+ff+MaoAlBgqji4s
MD5:	A21E5624C1F82E6338EFF7D1C3563F3F
SHA1:	942BA7D52BFC45952FC67D350D1C0D65A252B9F4
SHA-256:	B7C98E43BD7BF2D69353B8CD5B20300003D2E9032D94CFA9D06646C57003076D
SHA-512:	D7EC4FAE4DC64F2EFA7D7E1A9AA91A2F5A863BEA784C59FBCC2768BC36B619F19B2526BECB8DAA2329A5F94D44147E734A3FEA6FC0D74733D87E98D855B8296
Malicious:	false
Reputation:	low
Preview:	# This is private data. Do not parse.PRIORITY=30.LEVEL_PREFIX=1.FORWARD_TO_SYSLOG=0.FORWARD_TO_KMSG=0.FORWARD_TO_CONSOLE=0.STREAM_ID=90296fa114e24c598f10d0ba3b6417d7.IDENTIFIER=journalctl.UNIT=systemd-journal-flush.service.

### /var/log/journal/ee49dfd4fa47433baee88884e2d7de7c/system.journal

Process:	/lib/systemd/systemd-journald
File Type:	data
Category:	dropped
Size (bytes):	240
Entropy (8bit):	1.448047321524811
Encrypted:	false
SSDEEP:	3:F31HloUes/:F3P
MD5:	8E8C353DEB42B1B3A5B5C477CC33AB10
SHA1:	0FD65C0619CAEF9A1B799F120BD5C3DBC2A0004A
SHA-256:	F6037E39F9A92665229FA2A5B9C73CB3008A157DC9B6B1C498087BE2048D39C8
SHA-512:	ED9CDFAF353EF960E464A1B38904DF163947C739BE905F5217E97BF698DF77B8FDFD4FCA04D3D39DEA53BB9AF18687D1A17CEA9E006EBD23D1E3C53F2F508298
Malicious:	false
Reputation:	low
Preview:	LPKSHHRH.....r.{!...#M.....r.{!...#M.....

### /var/log/journal/ee49dfd4fa47433baee88884e2d7de7c/user-1000.journal

Process:	/lib/systemd/systemd-journald
File Type:	data
Category:	dropped
Size (bytes):	240
Entropy (8bit):	1.4226312153993532
Encrypted:	false
SSDEEP:	3:F31HlcY+UIXUY+MI:F3Mwk2l
MD5:	CDB365ADFB7A0DBF44976B2CE102EE0A

**/var/log/journal/ee49dfd4fa47433baee8884e2d7de7c/user-1000.journal**

SHA1:	B68BDF749E6BE9FF34D74CED8B004B4B32FE376D
SHA-256:	DED77C2232BF98D09DDBA69894514CA325E33DA81E1E91E8A066A1063F2A3706
SHA-512:	4B0FB20C606829FFB88B19D4EF61D8CB43072411FE6BACBB8F2DB461DE695B7B541BB751EB0885C92FAB64AC6D60DF5B188A15E9020D043C4A48A3D571EF89A
Malicious:	false
Reputation:	low
Preview:	LPKSHHRH.....5V}D!N.-.NH.....5V}D!N.-.NH.....

**Static File Info**

**General**

File type:	ELF 32-bit LSB executable, ARM, EABI4 version 1 (SYSV), statically linked, with debug_info, not stripped
Entropy (8bit):	6.047291053932471
TrID:	<ul style="list-style-type: none"> <li>ELF Executable and Linkable format (generic) (4004/1) 100.00%</li> </ul>
File name:	KKveTTgaAAsecNNaaaa.arm7
File size:	183778
MD5:	97b077cb62ee38b844602b48cfe02d73
SHA1:	a800c58b51de800550e7ca30a20fedb94115a76f
SHA256:	d6378301896dfeba58f24d5bd1b71fa00ab98b954ec74424a61f9b3f992aac34
SHA512:	e38ca5850103064dd717f8cfe32a242ac57a79c94934f431a101e1eb66129bd0a4199bb81282bfe4cd52a60af0024f785f8070c2adbb836fb54efda03f8fdea
SSDEEP:	3072:4K7JlQs2tpbPiYltZ4m0Or8AkNaKCu9miQhdVCNHL6TcnfM/9jfcnvXwJRJob:dFs8pbPiYTZLGNakCu9rnThor6TcfM/X
File Content Preview:	.ELF.....(.....4....C.....4. ...(......p.....V...V..... .....5..... .....Q.td.....-..L.....@-.,@ ...0....S

**Static ELF Info**

**ELF header**

Class:	ELF32
Data:	2's complement, little endian
Version:	1 (current)
Machine:	ARM
Version Number:	0x1
Type:	EXEC (Executable file)
OS/ABI:	UNIX - System V
ABI Version:	0
Entry Point Address:	0x8194
Flags:	0x4000002
ELF Header Size:	52
Program Header Offset:	52
Program Header Size:	32
Number of Program Headers:	5
Section Header Offset:	148432
Section Header Size:	40
Number of Section Headers:	29
Header String Table Index:	26

**Sections**

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
	NULL	0x0	0x0	0x0	0x0	0x0		0	0	0
.init	PROGBITS	0x80d4	0xd4	0x10	0x0	0x6	AX	0	0	4
.text	PROGBITS	0x80f0	0xf0	0x1b7b0	0x0	0x6	AX	0	0	16
.fini	PROGBITS	0x238a0	0x1b8a0	0x10	0x0	0x6	AX	0	0	4
.rodata	PROGBITS	0x238b0	0x1b8b0	0x1de8	0x0	0x2	A	0	0	8

Name	Type	Address	Offset	Size	EntSize	Flags	Flags Description	Link	Info	Align
.ARM.extab	PROGBITS	0x25698	0x1d698	0x18	0x0	0x2	A	0	0	4
.ARM.exidx	ARM_EXIDX	0x256b0	0x1d6b0	0x118	0x0	0x82	AL	2	0	4
.eh_frame	PROGBITS	0x2d7c8	0x1d7c8	0x4	0x0	0x3	WA	0	0	4
.tbss	NOBITS	0x2d7cc	0x1d7cc	0x8	0x0	0x403	WAT	0	0	4
.init_array	INIT_ARRAY	0x2d7cc	0x1d7cc	0x4	0x0	0x3	WA	0	0	4
.fini_array	FINI_ARRAY	0x2d7d0	0x1d7d0	0x4	0x0	0x3	WA	0	0	4
.jcr	PROGBITS	0x2d7d4	0x1d7d4	0x4	0x0	0x3	WA	0	0	4
.got	PROGBITS	0x2d7d8	0x1d7d8	0xa8	0x4	0x3	WA	0	0	4
.data	PROGBITS	0x2d880	0x1d880	0x23c	0x0	0x3	WA	0	0	4
.bss	NOBITS	0x2dabc	0x1dabc	0x32a8	0x0	0x3	WA	0	0	4
.comment	PROGBITS	0x0	0x1dabc	0xc88	0x0	0x0		0	0	1
.debug_aranges	PROGBITS	0x0	0x1e748	0x140	0x0	0x0		0	0	8
.debug_pubnames	PROGBITS	0x0	0x1e888	0x213	0x0	0x0		0	0	1
.debug_info	PROGBITS	0x0	0x1ea9b	0x2043	0x0	0x0		0	0	1
.debug_abbrev	PROGBITS	0x0	0x20ade	0x6e2	0x0	0x0		0	0	1
.debug_line	PROGBITS	0x0	0x211c0	0xe76	0x0	0x0		0	0	1
.debug_frame	PROGBITS	0x0	0x22038	0x2b8	0x0	0x0		0	0	4
.debug_str	PROGBITS	0x0	0x222f0	0x8ca	0x1	0x30	MS	0	0	1
.debug_loc	PROGBITS	0x0	0x22bba	0x118f	0x0	0x0		0	0	1
.debug_ranges	PROGBITS	0x0	0x23d49	0x558	0x0	0x0		0	0	1
.ARM.attributes	ARM_ATTRIBUTES	0x0	0x242a1	0x16	0x0	0x0		0	0	1
.shstrtab	STRTAB	0x0	0x242b7	0x117	0x0	0x0		0	0	1
.symtab	SYMTAB	0x0	0x24858	0x58d0	0x10	0x0		28	815	4
.strtab	STRTAB	0x0	0x2a128	0x2cba	0x0	0x0		0	0	1

### Program Segments

Type	Offset	Virtual Address	Physical Address	File Size	Memory Size	Entropy	Flags	Flags Description	Align	Prog Interpreter	Section Mappings
EXIDX	0x1d6b0	0x256b0	0x256b0	0x118	0x118	1.8647	0x4	R	0x4		.ARM.exidx
LOAD	0x0	0x8000	0x8000	0x1d7c8	0x1d7c8	3.4016	0x5	R E	0x8000		.init .text .fini .rodata .ARM.extab .ARM.exidx
LOAD	0x1d7c8	0x2d7c8	0x2d7c8	0x2f4	0x359c	2.4019	0x6	RW	0x8000		.eh_frame .init_array .fini_array .jcr .got .data .bss
TLS	0x1d7cc	0x2d7cc	0x2d7cc	0x0	0x8	0.0000	0x4	R	0x4		
GNU_STACK	0x0	0x0	0x0	0x0	0x0	0.0000	0x7	RWE	0x4		

### Symbols

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
			.symtab	0x80d4	0	SECTION	<unknown>	DEFAULT	1
			.symtab	0x80f0	0	SECTION	<unknown>	DEFAULT	2
			.symtab	0x238a0	0	SECTION	<unknown>	DEFAULT	3
			.symtab	0x238b0	0	SECTION	<unknown>	DEFAULT	4
			.symtab	0x25698	0	SECTION	<unknown>	DEFAULT	5
			.symtab	0x256b0	0	SECTION	<unknown>	DEFAULT	6
			.symtab	0x2d7c8	0	SECTION	<unknown>	DEFAULT	7
			.symtab	0x2d7cc	0	SECTION	<unknown>	DEFAULT	8
			.symtab	0x2d7cc	0	SECTION	<unknown>	DEFAULT	9
			.symtab	0x2d7d0	0	SECTION	<unknown>	DEFAULT	10
			.symtab	0x2d7d4	0	SECTION	<unknown>	DEFAULT	11
			.symtab	0x2d7d8	0	SECTION	<unknown>	DEFAULT	12
			.symtab	0x2d880	0	SECTION	<unknown>	DEFAULT	13
			.symtab	0x2dabc	0	SECTION	<unknown>	DEFAULT	14
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	15
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	16
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	17
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	18
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	19
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	20
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	21
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	22
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	23

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	24
			.symtab	0x0	0	SECTION	<unknown>	DEFAULT	25
\$a			.symtab	0x80d4	0	NOTYPE	<unknown>	DEFAULT	1
\$a			.symtab	0x238a0	0	NOTYPE	<unknown>	DEFAULT	3
\$a			.symtab	0x80e0	0	NOTYPE	<unknown>	DEFAULT	1
\$a			.symtab	0x238ac	0	NOTYPE	<unknown>	DEFAULT	3
\$a			.symtab	0x80f0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8134	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x8194	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x81d0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x84fc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x9130	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xa0fc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xa158	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xa254	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xa470	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xa4dc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xa54c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xa838	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xaf30	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb5dc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xb87c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xbd68	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc3d0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xc424	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcad8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcd80	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xcd00	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xce74	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd408	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd97c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xd9a0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdf54	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdf58	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xdf5c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe3f0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe418	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xe9ac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf100	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf128	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0xf6a4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10688	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10c34	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10c4c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10e1c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10e64	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x10fb4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1176c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11e18	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11e74	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11edc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x11fac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12088	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12224	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12370	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x125f4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x126d8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12700	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x127c8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12928	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x12ab4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15164	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15b7c	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0x15dc4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15de8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15e88	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15f28	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15f4c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x15fec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1608c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16fa4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x16fcc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17014	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17038	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1705c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x170c8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17204	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17260	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x172f4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17384	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17404	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17498	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17594	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x176a8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x177ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17800	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17898	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1798c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x179a0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17a80	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17ab8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17afc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17b3c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17b80	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17c04	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17c44	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17cd0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17d00	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17d40	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17e50	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17f20	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x17fe4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18094	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1817c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1819c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x181d0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18204	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x182d4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18354	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x184b8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x184e8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18cb4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18d54	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18d98	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18f48	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x18f9c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1950c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19544	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19600	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19610	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19620	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x196c0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19720	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19748	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1976c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19838	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0x19934	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1994c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19a58	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19adc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19b00	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19b7c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19ba4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19be8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19c5c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19ca0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19ce4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19d58	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19d9c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19de4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19e24	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19e68	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19ed8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19f20	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19fa8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x19fec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a05c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a0a8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a130	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a178	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a1bc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a20c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a220	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a2e4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1a350	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1ad00	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1ae40	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b200	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b6a0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b6e0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b808	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b820	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b8c4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1b97c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1ba3c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1bae0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1bb70	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1bc48	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1bd40	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1be2c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1be4c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1be68	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1c040	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1c104	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1c250	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1c874	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1cc40	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1ccd8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1cd20	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1ce10	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1cf44	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1cf9c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1cfa4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1cfd4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d02c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d034	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d064	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d0bc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d0c4	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0x1d0f4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d14c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d154	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d180	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d208	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d2e4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d3a4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d3f8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d450	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d83c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d8b8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d8e4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d96c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d974	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d980	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d990	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d9a0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1d9e0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1da48	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1daac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1db4c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1db78	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1db8c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1dba0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1dbb4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1dbdc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1dc14	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1dc54	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1dc68	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1dcac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1dcec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1dd2c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1dd8c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1ddf8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1de0c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1df84	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1e070	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1e414	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1e468	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1e48c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1e548	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1e878	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1e898	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1e974	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1edd4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1ef14	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1eff0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1f064	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1f090	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1f1ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1f9e0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1fb24	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1fc40	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x1fef0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x2029c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x203c8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x20470	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x20900	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x20920	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x20a10	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x20a34	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x20b14	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x20c04	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$a			.symtab	0x20cf0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x20d34	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x20d84	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x20dd0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x20ec8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x20f40	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x20fa8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x211fc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x21208	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x21240	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x21298	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x212f0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x212fc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x21444	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x21468	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x21628	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x21680	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x21748	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x21778	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x2181c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x21858	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x21898	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x21908	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x21d24	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x221c0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x22300	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x22354	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x223a0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x223ec	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x223f4	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x223f8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x22424	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x22430	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x2243c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x2265c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x227ac	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x227c8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x22828	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x22894	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x2294c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x2296c	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x22ab0	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x22ff8	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x23000	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x23008	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x23010	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x230cc	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x23110	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x23824	0	NOTYPE	<unknown>	DEFAULT	2
\$a			.symtab	0x2386c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x8128	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2d7d0	0	NOTYPE	<unknown>	DEFAULT	10
\$d			.symtab	0x8180	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2d7cc	0	NOTYPE	<unknown>	DEFAULT	9
\$d			.symtab	0x81c4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x84e8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x9108	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xa24c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xa80c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xaf2c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xb5d8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xbd64	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xc3c0	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$d			.symtab	0xc41c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xcad4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xd404	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xd95c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xd99c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xdf28	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2d880	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x2d884	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x2d888	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x2d88c	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x2d890	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x2d894	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x2d898	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x2d89c	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x2d8a0	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x2d8a4	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0xe3e0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xe9a8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf0f0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf124	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0xf6a0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10678	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10c44	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10e0c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10e5c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x10fb0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1172c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2d8a8	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x2d8ac	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x2d8b0	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x2d8b4	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x11e14	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11e64	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11ecc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x11f9c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12078	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12210	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12360	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x125d0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x126d0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x126fc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x127c4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1291c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x12970	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15140	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15b44	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x23c50	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x23c59	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x15de4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15e80	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15f20	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2d8b8	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x15f48	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x15fe4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16084	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x16e28	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2d8bc	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0x20	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0x26	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0x2c	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0x4c	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0x53	0	NOTYPE	<unknown>	DEFAULT	21

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$d			.symtab	0x17890	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1797c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x17a70	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x17ab4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x17af8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x17b38	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x17b7c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x17bfc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x17c40	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x17ccc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x17d3c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x17e34	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x17f18	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x17fd8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1808c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2433c	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x18168	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x18198	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x181cc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x182cc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x18344	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1849c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2d8c4	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x2d8c0	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x18c90	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x243a0	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x18f44	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x18f90	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x194dc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2d9a8	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x243a8	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x195fc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19830	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19a48	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2442c	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x19ad4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19b78	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19be0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19c54	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19c98	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19cdc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19d50	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19d94	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19ddc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19e20	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19e60	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19ed0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19f1c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19fa0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x19fe4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1a054	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1a0a0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1a128	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1a170	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1a1b4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1a208	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1a2d8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1acdc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2d9ac	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x1ae24	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1b1e0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1b684	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1b6d8	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$d			.symtab	0x1b7f4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2d9c4	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x1b8a8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1b960	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1ba20	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1bac4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2d9dc	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x2da74	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x1bb6c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1bc3c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1bd30	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1be20	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x24f98	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x1c030	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1c0e4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2da88	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x1c22c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1c848	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1cc18	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1ce04	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1cf30	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1cf40	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1cfd0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1d060	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1d0f0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1d2dc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1d390	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1d3f0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1d444	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1d7f0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2daa0	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x1d8b0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1d8e0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1d960	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1d9dc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1da40	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1daa8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1db48	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1dbd4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1dc10	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1dc50	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1dca8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1dce8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1dd28	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1dd84	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1ddf0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1e05c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1e40c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1e544	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1e868	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1e970	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1eda0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1efec	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x1f9c0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x25650	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x1fed4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x20284	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x203c0	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x20a08	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x20b0c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x20bfc	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x20ce8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x20ec0	0	NOTYPE	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
\$d			.symtab	0x20f28	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x20f98	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x211d4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x21234	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x212e4	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x2143c	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x21624	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x21744	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x21818	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x21904	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x22640	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x22fe8	0	NOTYPE	<unknown>	DEFAULT	2
\$d			.symtab	0x58	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	23
\$d			.symtab	0x23c	0	NOTYPE	<unknown>	DEFAULT	21
\$d			.symtab	0xe39	0	NOTYPE	<unknown>	DEFAULT	23
\$d			.symtab	0x2daac	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x25026	0	NOTYPE	<unknown>	DEFAULT	4
\$d			.symtab	0x2dab4	0	NOTYPE	<unknown>	DEFAULT	13
\$d			.symtab	0x25326	0	NOTYPE	<unknown>	DEFAULT	4
C.11.5548			.symtab	0x25004	12	OBJECT	<unknown>	DEFAULT	4
C.43.5768			.symtab	0x23c59	3	OBJECT	<unknown>	DEFAULT	4
C.44.5769			.symtab	0x23c50	9	OBJECT	<unknown>	DEFAULT	4
C.5.5083			.symtab	0x2433c	24	OBJECT	<unknown>	DEFAULT	4
C.7.5370			.symtab	0x25010	12	OBJECT	<unknown>	DEFAULT	4
C.7.6078			.symtab	0x24354	12	OBJECT	<unknown>	DEFAULT	4
C.7.6109			.symtab	0x24378	12	OBJECT	<unknown>	DEFAULT	4
C.7.6182			.symtab	0x25628	12	OBJECT	<unknown>	DEFAULT	4
C.8.6110			.symtab	0x2436c	12	OBJECT	<unknown>	DEFAULT	4
C.9.6119			.symtab	0x24360	12	OBJECT	<unknown>	DEFAULT	4
KillProcess			.symtab	0x12370	644	FUNC	<unknown>	DEFAULT	2
LOCAL_ADDR			.symtab	0x30624	4	OBJECT	<unknown>	DEFAULT	14
Laligned			.symtab	0x196e8	0	NOTYPE	<unknown>	DEFAULT	2
Llastword			.symtab	0x19704	0	NOTYPE	<unknown>	DEFAULT	2
MapBuffer			.symtab	0x12088	412	FUNC	<unknown>	DEFAULT	2
NumaMapBuffer			.symtab	0x12224	332	FUNC	<unknown>	DEFAULT	2
SelfBuffer			.symtab	0x2db18	4	OBJECT	<unknown>	DEFAULT	14
_Exit			.symtab	0x1d9e0	104	FUNC	<unknown>	DEFAULT	2
_GLOBAL_OFFSET_TABLE_			.symtab	0x2d7d8	0	OBJECT	<unknown>	HIDDEN	12
_Jv_RegisterClasses			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
_READ.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_Unwind_Complete			.symtab	0x223f4	4	FUNC	<unknown>	HIDDEN	2
_Unwind_DeleteException			.symtab	0x223f8	44	FUNC	<unknown>	HIDDEN	2
_Unwind_ForcedUnwind			.symtab	0x230a8	36	FUNC	<unknown>	HIDDEN	2
_Unwind_GetCFA			.symtab	0x223ec	8	FUNC	<unknown>	HIDDEN	2
_Unwind_GetDataRelBase			.symtab	0x22430	12	FUNC	<unknown>	HIDDEN	2
_Unwind_GetLanguageSpecificData			.symtab	0x230cc	68	FUNC	<unknown>	HIDDEN	2
_Unwind_GetRegionStart			.symtab	0x2386c	52	FUNC	<unknown>	HIDDEN	2
_Unwind_GetTextRelBase			.symtab	0x22424	12	FUNC	<unknown>	HIDDEN	2
_Unwind_RaiseException			.symtab	0x2303c	36	FUNC	<unknown>	HIDDEN	2
_Unwind_Resume			.symtab	0x23060	36	FUNC	<unknown>	HIDDEN	2
_Unwind_Resume_or_Rethrow			.symtab	0x23084	36	FUNC	<unknown>	HIDDEN	2
_Unwind_VRS_Get			.symtab	0x22354	76	FUNC	<unknown>	HIDDEN	2
_Unwind_VRS_Pop			.symtab	0x2296c	324	FUNC	<unknown>	HIDDEN	2
_Unwind_VRS_Set			.symtab	0x223a0	76	FUNC	<unknown>	HIDDEN	2
_WRITE.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b			.symtab	0x2daac	4	OBJECT	<unknown>	DEFAULT	13
__C_ctype_b.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_b_data			.symtab	0x25026	768	OBJECT	<unknown>	DEFAULT	4
__C_ctype_tolower			.symtab	0x2dab4	4	OBJECT	<unknown>	DEFAULT	13
__C_ctype_tolower.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__C_ctype_tolower_data			.symtab	0x25326	768	OBJECT	<unknown>	DEFAULT	4
_EH_FRAME_BEGIN__			.symtab	0x2d7c8	0	OBJECT	<unknown>	DEFAULT	7

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__FRAME_END__			.symtab	0x2d7c8	0	OBJECT	<unknown>	DEFAULT	7
__GI__C__ctype_b			.symtab	0x2daac	4	OBJECT	<unknown>	HIDDEN	13
__GI__C__ctype_tolower			.symtab	0x2dab4	4	OBJECT	<unknown>	HIDDEN	13
__GI__close			.symtab	0x1cf60	100	FUNC	<unknown>	HIDDEN	2
__GI__close_nocancel			.symtab	0x1cf44	24	FUNC	<unknown>	HIDDEN	2
__GI__ctype_b			.symtab	0x2dab0	4	OBJECT	<unknown>	HIDDEN	13
__GI__ctype_tolower			.symtab	0x2dab8	4	OBJECT	<unknown>	HIDDEN	13
__GI__errno_location			.symtab	0x1817c	32	FUNC	<unknown>	HIDDEN	2
__GI__fcntl_nocancel			.symtab	0x17800	152	FUNC	<unknown>	HIDDEN	2
__GI__fgetc_unlocked			.symtab	0x2029c	300	FUNC	<unknown>	HIDDEN	2
__GI__glibc_strerror_r			.symtab	0x19934	24	FUNC	<unknown>	HIDDEN	2
__GI__libc_close			.symtab	0x1cf60	100	FUNC	<unknown>	HIDDEN	2
__GI__libc_fcntl			.symtab	0x17898	244	FUNC	<unknown>	HIDDEN	2
__GI__libc_open			.symtab	0x1cff0	100	FUNC	<unknown>	HIDDEN	2
__GI__libc_read			.symtab	0x1d110	100	FUNC	<unknown>	HIDDEN	2
__GI__libc_write			.symtab	0x1d080	100	FUNC	<unknown>	HIDDEN	2
__GI__open			.symtab	0x1cff0	100	FUNC	<unknown>	HIDDEN	2
__GI__open_nocancel			.symtab	0x1cfd4	24	FUNC	<unknown>	HIDDEN	2
__GI__read			.symtab	0x1d110	100	FUNC	<unknown>	HIDDEN	2
__GI__read_nocancel			.symtab	0x1d0f4	24	FUNC	<unknown>	HIDDEN	2
__GI__sigaddset			.symtab	0x1a308	36	FUNC	<unknown>	HIDDEN	2
__GI__sigdelset			.symtab	0x1a32c	36	FUNC	<unknown>	HIDDEN	2
__GI__sigismember			.symtab	0x1a2e4	36	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_fini			.symtab	0x1d328	124	FUNC	<unknown>	HIDDEN	2
__GI__uClibc_init			.symtab	0x1d3f8	88	FUNC	<unknown>	HIDDEN	2
__GI__write			.symtab	0x1d080	100	FUNC	<unknown>	HIDDEN	2
__GI__write_nocancel			.symtab	0x1d064	24	FUNC	<unknown>	HIDDEN	2
__GI__xpg_strerror_r			.symtab	0x1994c	268	FUNC	<unknown>	HIDDEN	2
__GI__exit			.symtab	0x1d9e0	104	FUNC	<unknown>	HIDDEN	2
__GI__abort			.symtab	0x1b6e0	296	FUNC	<unknown>	HIDDEN	2
__GI__accept			.symtab	0x19be8	116	FUNC	<unknown>	HIDDEN	2
__GI__atoi			.symtab	0x1be2c	32	FUNC	<unknown>	HIDDEN	2
__GI__bind			.symtab	0x19c5c	68	FUNC	<unknown>	HIDDEN	2
__GI__brk			.symtab	0x21298	88	FUNC	<unknown>	HIDDEN	2
__GI__close			.symtab	0x1cf60	100	FUNC	<unknown>	HIDDEN	2
__GI__closedir			.symtab	0x17d40	272	FUNC	<unknown>	HIDDEN	2
__GI__config_close			.symtab	0x1e398	52	FUNC	<unknown>	HIDDEN	2
__GI__config_open			.symtab	0x1e3cc	72	FUNC	<unknown>	HIDDEN	2
__GI__config_read			.symtab	0x1e070	808	FUNC	<unknown>	HIDDEN	2
__GI__connect			.symtab	0x19ce4	116	FUNC	<unknown>	HIDDEN	2
__GI__exit			.symtab	0x1c040	196	FUNC	<unknown>	HIDDEN	2
__GI__fclose			.symtab	0x1e548	816	FUNC	<unknown>	HIDDEN	2
__GI__fcntl			.symtab	0x17898	244	FUNC	<unknown>	HIDDEN	2
__GI__fflush_unlocked			.symtab	0x1fef0	940	FUNC	<unknown>	HIDDEN	2
__GI__fgetc			.symtab	0x1f9e0	324	FUNC	<unknown>	HIDDEN	2
__GI__fgetc_unlocked			.symtab	0x2029c	300	FUNC	<unknown>	HIDDEN	2
__GI__fgets			.symtab	0x1fb24	284	FUNC	<unknown>	HIDDEN	2
__GI__fgets_unlocked			.symtab	0x203c8	160	FUNC	<unknown>	HIDDEN	2
__GI__fopen			.symtab	0x1e878	32	FUNC	<unknown>	HIDDEN	2
__GI__fork			.symtab	0x1c874	972	FUNC	<unknown>	HIDDEN	2
__GI__fputs_unlocked			.symtab	0x1950c	56	FUNC	<unknown>	HIDDEN	2
__GI__fseek			.symtab	0x21444	36	FUNC	<unknown>	HIDDEN	2
__GI__fseeko64			.symtab	0x21468	448	FUNC	<unknown>	HIDDEN	2
__GI__fstat			.symtab	0x1da48	100	FUNC	<unknown>	HIDDEN	2
__GI__fwrite_unlocked			.symtab	0x19544	188	FUNC	<unknown>	HIDDEN	2
__GI__getc_unlocked			.symtab	0x2029c	300	FUNC	<unknown>	HIDDEN	2
__GI__getdtablesize			.symtab	0x1db4c	44	FUNC	<unknown>	HIDDEN	2
__GI__getegid			.symtab	0x1db78	20	FUNC	<unknown>	HIDDEN	2
__GI__geteuid			.symtab	0x1db8c	20	FUNC	<unknown>	HIDDEN	2
__GI__getgid			.symtab	0x1dba0	20	FUNC	<unknown>	HIDDEN	2
__GI__getpagesize			.symtab	0x1dbb4	40	FUNC	<unknown>	HIDDEN	2
__GI__getpid			.symtab	0x1ccd8	72	FUNC	<unknown>	HIDDEN	2
__GI__getrlimit			.symtab	0x1dbdc	56	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_getsockname			.symtab	0x19d58	68	FUNC	<unknown>	HIDDEN	2
__GI_gettimeofday			.symtab	0x1dc14	64	FUNC	<unknown>	HIDDEN	2
__GI_getuid			.symtab	0x1dc54	20	FUNC	<unknown>	HIDDEN	2
__GI_inet_addr			.symtab	0x19b7c	40	FUNC	<unknown>	HIDDEN	2
__GI_inet_aton			.symtab	0x20dd0	248	FUNC	<unknown>	HIDDEN	2
__GI_initstate_r			.symtab	0x1bc48	248	FUNC	<unknown>	HIDDEN	2
__GI_ioctl			.symtab	0x179a0	224	FUNC	<unknown>	HIDDEN	2
__GI_isatty			.symtab	0x19adc	36	FUNC	<unknown>	HIDDEN	2
__GI_kill			.symtab	0x17a80	56	FUNC	<unknown>	HIDDEN	2
__GI_listen			.symtab	0x19de4	64	FUNC	<unknown>	HIDDEN	2
__GI_lseek64			.symtab	0x21898	112	FUNC	<unknown>	HIDDEN	2
__GI_memchr			.symtab	0x20920	240	FUNC	<unknown>	HIDDEN	2
__GI_memcpy			.symtab	0x19600	4	FUNC	<unknown>	HIDDEN	2
__GI_memmove			.symtab	0x19610	4	FUNC	<unknown>	HIDDEN	2
__GI_memcpy			.symtab	0x20a10	36	FUNC	<unknown>	HIDDEN	2
__GI_memrchr			.symtab	0x20a34	224	FUNC	<unknown>	HIDDEN	2
__GI_memset			.symtab	0x19620	156	FUNC	<unknown>	HIDDEN	2
__GI_mmap			.symtab	0x1d83c	124	FUNC	<unknown>	HIDDEN	2
__GI_mremap			.symtab	0x1dc68	68	FUNC	<unknown>	HIDDEN	2
__GI_munmap			.symtab	0x1dcac	64	FUNC	<unknown>	HIDDEN	2
__GI_nanosleep			.symtab	0x1dd2c	96	FUNC	<unknown>	HIDDEN	2
__GI_open			.symtab	0x1cff0	100	FUNC	<unknown>	HIDDEN	2
__GI_opendir			.symtab	0x17f20	196	FUNC	<unknown>	HIDDEN	2
__GI_raise			.symtab	0x1cd20	240	FUNC	<unknown>	HIDDEN	2
__GI_random			.symtab	0x1b820	164	FUNC	<unknown>	HIDDEN	2
__GI_random_r			.symtab	0x1bae0	144	FUNC	<unknown>	HIDDEN	2
__GI_read			.symtab	0x1d110	100	FUNC	<unknown>	HIDDEN	2
__GI_readdir			.symtab	0x18094	232	FUNC	<unknown>	HIDDEN	2
__GI_readdir64			.symtab	0x1df84	236	FUNC	<unknown>	HIDDEN	2
__GI_readlink			.symtab	0x17afc	64	FUNC	<unknown>	HIDDEN	2
__GI_recv			.symtab	0x19e68	112	FUNC	<unknown>	HIDDEN	2
__GI_recvfrom			.symtab	0x19f20	136	FUNC	<unknown>	HIDDEN	2
__GI_sbrk			.symtab	0x1dd8c	108	FUNC	<unknown>	HIDDEN	2
__GI_select			.symtab	0x17b80	132	FUNC	<unknown>	HIDDEN	2
__GI_send			.symtab	0x19fec	112	FUNC	<unknown>	HIDDEN	2
__GI_sendto			.symtab	0x1a0a8	136	FUNC	<unknown>	HIDDEN	2
__GI_setsid			.symtab	0x17c04	64	FUNC	<unknown>	HIDDEN	2
__GI_setsockopt			.symtab	0x1a130	72	FUNC	<unknown>	HIDDEN	2
__GI_setstate_r			.symtab	0x1bd40	236	FUNC	<unknown>	HIDDEN	2
__GI_sigaction			.symtab	0x1d8e4	136	FUNC	<unknown>	HIDDEN	2
__GI_sigaddset			.symtab	0x1a1bc	80	FUNC	<unknown>	HIDDEN	2
__GI_sigemptyset			.symtab	0x1a20c	20	FUNC	<unknown>	HIDDEN	2
__GI_signal			.symtab	0x1a220	196	FUNC	<unknown>	HIDDEN	2
__GI_sigprocmask			.symtab	0x17c44	140	FUNC	<unknown>	HIDDEN	2
__GI_sleep			.symtab	0x1ce10	300	FUNC	<unknown>	HIDDEN	2
__GI_socket			.symtab	0x1a178	68	FUNC	<unknown>	HIDDEN	2
__GI_sprintf			.symtab	0x181d0	52	FUNC	<unknown>	HIDDEN	2
__GI_srandom_r			.symtab	0x1bb70	216	FUNC	<unknown>	HIDDEN	2
__GI_strcasestr			.symtab	0x19a58	132	FUNC	<unknown>	HIDDEN	2
__GI_strcat			.symtab	0x19720	40	FUNC	<unknown>	HIDDEN	2
__GI_strchr			.symtab	0x20b14	240	FUNC	<unknown>	HIDDEN	2
__GI_strchrnul			.symtab	0x20c04	236	FUNC	<unknown>	HIDDEN	2
__GI_strcmp			.symtab	0x20900	28	FUNC	<unknown>	HIDDEN	2
__GI_strcoll			.symtab	0x20900	28	FUNC	<unknown>	HIDDEN	2
__GI_strcpy			.symtab	0x19748	36	FUNC	<unknown>	HIDDEN	2
__GI_strcspn			.symtab	0x20cf0	68	FUNC	<unknown>	HIDDEN	2
__GI_strlen			.symtab	0x196c0	96	FUNC	<unknown>	HIDDEN	2
__GI_strnlen			.symtab	0x1976c	204	FUNC	<unknown>	HIDDEN	2
__GI_strrchr			.symtab	0x20d34	80	FUNC	<unknown>	HIDDEN	2
__GI_strspn			.symtab	0x20d84	76	FUNC	<unknown>	HIDDEN	2
__GI_strstr			.symtab	0x19838	252	FUNC	<unknown>	HIDDEN	2
__GI_strtol			.symtab	0x1be4c	28	FUNC	<unknown>	HIDDEN	2
__GI_sysconf			.symtab	0x1c250	1572	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__GI_tcgetattr			.symtab	0x19b00	124	FUNC	<unknown>	HIDDEN	2
__GI_time			.symtab	0x17cd0	48	FUNC	<unknown>	HIDDEN	2
__GI_times			.symtab	0x1ddf8	20	FUNC	<unknown>	HIDDEN	2
__GI_unlink			.symtab	0x17d00	64	FUNC	<unknown>	HIDDEN	2
__GI_vsnprintf			.symtab	0x18204	208	FUNC	<unknown>	HIDDEN	2
__GI_wcrtomb			.symtab	0x1e414	84	FUNC	<unknown>	HIDDEN	2
__GI_wcsnrtombs			.symtab	0x1e48c	188	FUNC	<unknown>	HIDDEN	2
__GI_wcsrtombs			.symtab	0x1e468	36	FUNC	<unknown>	HIDDEN	2
__GI_write			.symtab	0x1d080	100	FUNC	<unknown>	HIDDEN	2
__JCR_END__			.symtab	0x2d7d4	0	OBJECT	<unknown>	DEFAULT	11
__JCR_LIST__			.symtab	0x2d7d4	0	OBJECT	<unknown>	DEFAULT	11
__Unwind_ForcedUnwind			.symtab	0x230a8	36	FUNC	<unknown>	HIDDEN	2
__Unwind_RaiseException			.symtab	0x2303c	36	FUNC	<unknown>	HIDDEN	2
__Unwind_Resume			.symtab	0x23060	36	FUNC	<unknown>	HIDDEN	2
__Unwind_Resume_or_Rethrow			.symtab	0x23084	36	FUNC	<unknown>	HIDDEN	2
__adddf3			.symtab	0x21914	784	FUNC	<unknown>	HIDDEN	2
__aeabi_cdcmpeq			.symtab	0x22270	24	FUNC	<unknown>	HIDDEN	2
__aeabi_cdcmple			.symtab	0x22270	24	FUNC	<unknown>	HIDDEN	2
__aeabi_cdrcmple			.symtab	0x22254	52	FUNC	<unknown>	HIDDEN	2
__aeabi_d2uiz			.symtab	0x22300	84	FUNC	<unknown>	HIDDEN	2
__aeabi_dadd			.symtab	0x21914	784	FUNC	<unknown>	HIDDEN	2
__aeabi_dcmpeq			.symtab	0x22288	24	FUNC	<unknown>	HIDDEN	2
__aeabi_dcmpge			.symtab	0x222d0	24	FUNC	<unknown>	HIDDEN	2
__aeabi_dcmpgt			.symtab	0x222e8	24	FUNC	<unknown>	HIDDEN	2
__aeabi_dcmlpe			.symtab	0x222b8	24	FUNC	<unknown>	HIDDEN	2
__aeabi_dcmlpt			.symtab	0x222a0	24	FUNC	<unknown>	HIDDEN	2
__aeabi_ddiv			.symtab	0x21fb4	524	FUNC	<unknown>	HIDDEN	2
__aeabi_dmul			.symtab	0x21d24	656	FUNC	<unknown>	HIDDEN	2
__aeabi_drsub			.symtab	0x21908	0	FUNC	<unknown>	HIDDEN	2
__aeabi_dsub			.symtab	0x21910	788	FUNC	<unknown>	HIDDEN	2
__aeabi_f2d			.symtab	0x21c70	64	FUNC	<unknown>	HIDDEN	2
__aeabi_i2d			.symtab	0x21c48	40	FUNC	<unknown>	HIDDEN	2
__aeabi_idiv			.symtab	0x176a8	0	FUNC	<unknown>	HIDDEN	2
__aeabi_idivmod			.symtab	0x177d4	24	FUNC	<unknown>	HIDDEN	2
__aeabi_l2d			.symtab	0x21cc4	96	FUNC	<unknown>	HIDDEN	2
__aeabi_read_tp			.symtab	0x1d990	8	FUNC	<unknown>	DEFAULT	2
__aeabi_ui2d			.symtab	0x21c24	36	FUNC	<unknown>	HIDDEN	2
__aeabi_uidiv			.symtab	0x17594	0	FUNC	<unknown>	HIDDEN	2
__aeabi_uidivmod			.symtab	0x17690	24	FUNC	<unknown>	HIDDEN	2
__aeabi_ul2d			.symtab	0x21cb0	116	FUNC	<unknown>	HIDDEN	2
__aeabi_unwind_cpp_pr0			.symtab	0x23008	8	FUNC	<unknown>	HIDDEN	2
__aeabi_unwind_cpp_pr1			.symtab	0x23000	8	FUNC	<unknown>	HIDDEN	2
__aeabi_unwind_cpp_pr2			.symtab	0x22ff8	8	FUNC	<unknown>	HIDDEN	2
__app_fini			.symtab	0x300dc	4	OBJECT	<unknown>	HIDDEN	14
__atexit_lock			.symtab	0x2da88	24	OBJECT	<unknown>	DEFAULT	13
__bss_end__			.symtab	0x30d64	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__bss_start			.symtab	0x2dabc	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__bss_start__			.symtab	0x2dabc	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__check_one_fd			.symtab	0x1d3a4	84	FUNC	<unknown>	DEFAULT	2
__close			.symtab	0x1cf60	100	FUNC	<unknown>	DEFAULT	2
__close_nocancel			.symtab	0x1cf44	24	FUNC	<unknown>	DEFAULT	2
__cmpdf2			.symtab	0x221d0	132	FUNC	<unknown>	HIDDEN	2
__ctype_b			.symtab	0x2dab0	4	OBJECT	<unknown>	DEFAULT	13
__ctype_tolower			.symtab	0x2dab8	4	OBJECT	<unknown>	DEFAULT	13
__curbrk			.symtab	0x30620	4	OBJECT	<unknown>	HIDDEN	14
__cxa_begin_cleanup			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__cxa_call_unexpected			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__cxa_type_match			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__data_start			.symtab	0x2d880	0	NOTYPE	<unknown>	DEFAULT	13
__default_rt_sa_restorer			.symtab	0x1d984	0	FUNC	<unknown>	DEFAULT	2
__default_sa_restorer			.symtab	0x1d978	0	FUNC	<unknown>	DEFAULT	2
__deregister_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__div0			.symtab	0x177ec	20	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__divdf3			.symtab	0x21fb4	524	FUNC	<unknown>	HIDDEN	2
__divsi3			.symtab	0x176a8	300	FUNC	<unknown>	HIDDEN	2
__do_global_dtors_aux			.symtab	0x80f0	0	FUNC	<unknown>	DEFAULT	2
__do_global_dtors_aux_fini_array_entry			.symtab	0x2d7d0	0	OBJECT	<unknown>	DEFAULT	10
__end__			.symtab	0x30d64	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__environ			.symtab	0x300d4	4	OBJECT	<unknown>	DEFAULT	14
__eqdf2			.symtab	0x221d0	132	FUNC	<unknown>	HIDDEN	2
__errno_location			.symtab	0x1817c	32	FUNC	<unknown>	DEFAULT	2
__errno_location.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__exidx_end			.symtab	0x257c8	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__exidx_start			.symtab	0x256b0	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__exit_cleanup			.symtab	0x2fb84	4	OBJECT	<unknown>	HIDDEN	14
__extendsfdf2			.symtab	0x21c70	64	FUNC	<unknown>	HIDDEN	2
__fcntl_nocancel			.symtab	0x17800	152	FUNC	<unknown>	DEFAULT	2
__fgetc_unlocked			.symtab	0x2029c	300	FUNC	<unknown>	DEFAULT	2
__fini_array_end			.symtab	0x2d7d4	0	NOTYPE	<unknown>	HIDDEN	10
__fini_array_start			.symtab	0x2d7d0	0	NOTYPE	<unknown>	HIDDEN	10
__fixunsdfsi			.symtab	0x22300	84	FUNC	<unknown>	HIDDEN	2
__floatdidf			.symtab	0x21cc4	96	FUNC	<unknown>	HIDDEN	2
__floatsidf			.symtab	0x21c48	40	FUNC	<unknown>	HIDDEN	2
__floatundidf			.symtab	0x21cb0	116	FUNC	<unknown>	HIDDEN	2
__floatunsidf			.symtab	0x21c24	36	FUNC	<unknown>	HIDDEN	2
__fork			.symtab	0x1c874	972	FUNC	<unknown>	DEFAULT	2
__fork_generation_pointer			.symtab	0x30d30	4	OBJECT	<unknown>	HIDDEN	14
__fork_handlers			.symtab	0x30d34	4	OBJECT	<unknown>	HIDDEN	14
__fork_lock			.symtab	0x2fb88	4	OBJECT	<unknown>	HIDDEN	14
__frame_dummy_init_array_entry			.symtab	0x2d7cc	0	OBJECT	<unknown>	DEFAULT	9
__gedf2			.symtab	0x221c0	148	FUNC	<unknown>	HIDDEN	2
__getdents			.symtab	0x1daac	160	FUNC	<unknown>	HIDDEN	2
__getdents64			.symtab	0x212fc	328	FUNC	<unknown>	HIDDEN	2
__getpagesize			.symtab	0x1dbb4	40	FUNC	<unknown>	DEFAULT	2
__getpid			.symtab	0x1ccd8	72	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r			.symtab	0x19934	24	FUNC	<unknown>	DEFAULT	2
__glibc_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__gnu_Unwind_Find_exidx			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__gnu_Unwind_ForcedUnwind			.symtab	0x227ac	28	FUNC	<unknown>	HIDDEN	2
__gnu_Unwind_RaiseException			.symtab	0x22894	184	FUNC	<unknown>	HIDDEN	2
__gnu_Unwind_Restore_VFP			.symtab	0x2302c	0	FUNC	<unknown>	HIDDEN	2
__gnu_Unwind_Resume			.symtab	0x22828	108	FUNC	<unknown>	HIDDEN	2
__gnu_Unwind_Resume_or_Rethrow			.symtab	0x2294c	32	FUNC	<unknown>	HIDDEN	2
__gnu_Unwind_Save_VFP			.symtab	0x23034	0	FUNC	<unknown>	HIDDEN	2
__gnu_unwind_execute			.symtab	0x23110	1812	FUNC	<unknown>	HIDDEN	2
__gnu_unwind_frame			.symtab	0x23824	72	FUNC	<unknown>	HIDDEN	2
__gnu_unwind_pr_common			.symtab	0x22ab0	1352	FUNC	<unknown>	DEFAULT	2
__gtdf2			.symtab	0x221c0	148	FUNC	<unknown>	HIDDEN	2
__h_errno_location			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__init_array_end			.symtab	0x2d7d0	0	NOTYPE	<unknown>	HIDDEN	9
__init_array_start			.symtab	0x2d7cc	0	NOTYPE	<unknown>	HIDDEN	9
__ledf2			.symtab	0x221c8	140	FUNC	<unknown>	HIDDEN	2
__libc_accept			.symtab	0x19be8	116	FUNC	<unknown>	DEFAULT	2
__libc_close			.symtab	0x1cf60	100	FUNC	<unknown>	DEFAULT	2
__libc_connect			.symtab	0x19ce4	116	FUNC	<unknown>	DEFAULT	2
__libc_disable_asynccancel			.symtab	0x1d180	136	FUNC	<unknown>	HIDDEN	2
__libc_enable_asynccancel			.symtab	0x1d208	220	FUNC	<unknown>	HIDDEN	2
__libc_errno			.symtab	0x0	4	TLS	<unknown>	HIDDEN	8
__libc_fcntl			.symtab	0x17898	244	FUNC	<unknown>	DEFAULT	2
__libc_fork			.symtab	0x1c874	972	FUNC	<unknown>	DEFAULT	2
__libc_h_errno			.symtab	0x4	4	TLS	<unknown>	HIDDEN	8
__libc_multiple_threads			.symtab	0x30d38	4	OBJECT	<unknown>	HIDDEN	14
__libc_nanosleep			.symtab	0x1dd2c	96	FUNC	<unknown>	DEFAULT	2
__libc_open			.symtab	0x1cff0	100	FUNC	<unknown>	DEFAULT	2
__libc_read			.symtab	0x1d110	100	FUNC	<unknown>	DEFAULT	2
__libc_recv			.symtab	0x19e68	112	FUNC	<unknown>	DEFAULT	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__libc_recvfrom			.symtab	0x19f20	136	FUNC	<unknown>	DEFAULT	2
__libc_select			.symtab	0x17b80	132	FUNC	<unknown>	DEFAULT	2
__libc_send			.symtab	0x19fec	112	FUNC	<unknown>	DEFAULT	2
__libc_sendto			.symtab	0x1a0a8	136	FUNC	<unknown>	DEFAULT	2
__libc_setup_tls			.symtab	0x20fcc	560	FUNC	<unknown>	DEFAULT	2
__libc_sigaction			.symtab	0x1d8e4	136	FUNC	<unknown>	DEFAULT	2
__libc_stack_end			.symtab	0x300d0	4	OBJECT	<unknown>	DEFAULT	14
__libc_write			.symtab	0x1d080	100	FUNC	<unknown>	DEFAULT	2
__lll_lock_wait_private			.symtab	0x1cc40	152	FUNC	<unknown>	HIDDEN	2
__ltdf2			.symtab	0x221c8	140	FUNC	<unknown>	HIDDEN	2
__malloc Consolidate			.symtab	0x1b2b0	436	FUNC	<unknown>	HIDDEN	2
__malloc_largebin_index			.symtab	0x1a350	120	FUNC	<unknown>	DEFAULT	2
__malloc_lock			.symtab	0x2d9ac	24	OBJECT	<unknown>	DEFAULT	13
__malloc_state			.symtab	0x309b8	888	OBJECT	<unknown>	DEFAULT	14
__malloc_trim			.symtab	0x1b200	176	FUNC	<unknown>	DEFAULT	2
__muldf3			.symtab	0x21d24	656	FUNC	<unknown>	HIDDEN	2
__nedf2			.symtab	0x221d0	132	FUNC	<unknown>	HIDDEN	2
__nptl_deallocate_tsd			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__nptl_nthreads			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__open			.symtab	0x1cff0	100	FUNC	<unknown>	DEFAULT	2
__open_nocancel			.symtab	0x1cfd4	24	FUNC	<unknown>	DEFAULT	2
__pagesize			.symtab	0x300d8	4	OBJECT	<unknown>	DEFAULT	14
__preinit_array_end			.symtab	0x2d7cc	0	NOTYPE	<unknown>	HIDDEN	8
__preinit_array_start			.symtab	0x2d7cc	0	NOTYPE	<unknown>	HIDDEN	8
__progname			.symtab	0x2daa4	4	OBJECT	<unknown>	DEFAULT	13
__progname_full			.symtab	0x2daa8	4	OBJECT	<unknown>	DEFAULT	13
__pthread_initialize_minimal			.symtab	0x211fc	12	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_init			.symtab	0x1d2ec	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_lock			.symtab	0x1d2e4	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_trylock			.symtab	0x1d2e4	8	FUNC	<unknown>	DEFAULT	2
__pthread_mutex_unlock			.symtab	0x1d2e4	8	FUNC	<unknown>	DEFAULT	2
__pthread_return_0			.symtab	0x1d2e4	8	FUNC	<unknown>	DEFAULT	2
__pthread_unwind			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__read			.symtab	0x1d110	100	FUNC	<unknown>	DEFAULT	2
__read_nocancel			.symtab	0x1d0f4	24	FUNC	<unknown>	DEFAULT	2
__register_frame_info			.symtab	0x0	0	NOTYPE	<unknown>	DEFAULT	SHN_UNDEF
__restore_core_regs			.symtab	0x23010	28	FUNC	<unknown>	HIDDEN	2
__rtdl_fini			.symtab	0x300e0	4	OBJECT	<unknown>	HIDDEN	14
__sigaddset			.symtab	0x1a308	36	FUNC	<unknown>	DEFAULT	2
__sigdelset			.symtab	0x1a32c	36	FUNC	<unknown>	DEFAULT	2
__sigismember			.symtab	0x1a2e4	36	FUNC	<unknown>	DEFAULT	2
__sigjmp_save			.symtab	0x21858	64	FUNC	<unknown>	HIDDEN	2
__sigsetjmp			.symtab	0x212f0	12	FUNC	<unknown>	DEFAULT	2
__stdin			.symtab	0x2d8d0	4	OBJECT	<unknown>	DEFAULT	13
__stdio_READ			.symtab	0x21628	88	FUNC	<unknown>	HIDDEN	2
__stdio_WRITE			.symtab	0x1e898	220	FUNC	<unknown>	HIDDEN	2
__stdio_adjust_position			.symtab	0x21680	200	FUNC	<unknown>	HIDDEN	2
__stdio_fwrit			.symtab	0x1edd4	320	FUNC	<unknown>	HIDDEN	2
__stdio_rfill			.symtab	0x21748	48	FUNC	<unknown>	HIDDEN	2
__stdio_seek			.symtab	0x2181c	60	FUNC	<unknown>	HIDDEN	2
__stdio_trans2r_o			.symtab	0x21778	164	FUNC	<unknown>	HIDDEN	2
__stdio_trans2w_o			.symtab	0x1ef14	220	FUNC	<unknown>	HIDDEN	2
__stdio_wcommit			.symtab	0x184b8	48	FUNC	<unknown>	HIDDEN	2
__stdout			.symtab	0x2d8d4	4	OBJECT	<unknown>	DEFAULT	13
__subdf3			.symtab	0x21910	788	FUNC	<unknown>	HIDDEN	2
__sys_accept			.symtab	0x19ba4	68	FUNC	<unknown>	DEFAULT	2
__sys_connect			.symtab	0x19ca0	68	FUNC	<unknown>	DEFAULT	2
__sys_recv			.symtab	0x19e24	68	FUNC	<unknown>	DEFAULT	2
__sys_recvfrom			.symtab	0x19ed8	72	FUNC	<unknown>	DEFAULT	2
__sys_send			.symtab	0x19fa8	68	FUNC	<unknown>	DEFAULT	2
__sys_sendto			.symtab	0x1a05c	76	FUNC	<unknown>	DEFAULT	2
__syscall_error			.symtab	0x1d8b8	44	FUNC	<unknown>	HIDDEN	2

Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
__syscall_error.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_fcntl.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_nanosleep			.symtab	0x1dcec	64	FUNC	<unknown>	DEFAULT	2
__syscall_rt_sigaction			.symtab	0x1d9a0	64	FUNC	<unknown>	DEFAULT	2
__syscall_rt_sigaction.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__syscall_select			.symtab	0x17b3c	68	FUNC	<unknown>	DEFAULT	2
__tls_get_addr			.symtab	0x20fa8	36	FUNC	<unknown>	DEFAULT	2
__uClibc_fini			.symtab	0x1d328	124	FUNC	<unknown>	DEFAULT	2
__uClibc_init			.symtab	0x1d3f8	88	FUNC	<unknown>	DEFAULT	2
__uClibc_main			.symtab	0x1d450	1004	FUNC	<unknown>	DEFAULT	2
__uClibc_main.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__uclibc_progname			.symtab	0x2daa0	4	OBJECT	<unknown>	HIDDEN	13
__udivsi3			.symtab	0x17594	252	FUNC	<unknown>	HIDDEN	2
__write			.symtab	0x1d080	100	FUNC	<unknown>	DEFAULT	2
__write_nocancel			.symtab	0x1d064	24	FUNC	<unknown>	DEFAULT	2
__xpg_strerror_r			.symtab	0x1994c	268	FUNC	<unknown>	DEFAULT	2
__xpg_strerror_r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__xstat32_conv			.symtab	0x1ded8	172	FUNC	<unknown>	HIDDEN	2
__xstat64_conv			.symtab	0x1de0c	204	FUNC	<unknown>	HIDDEN	2
__adjust_pos.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__bss_custom_printf_spec			.symtab	0x2fb74	10	OBJECT	<unknown>	DEFAULT	14
__bss_end__			.symtab	0x30d64	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__charpad			.symtab	0x184e8	84	FUNC	<unknown>	DEFAULT	2
__cs_funcs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__custom_printf_arginfo			.symtab	0x30960	40	OBJECT	<unknown>	HIDDEN	14
__custom_printf_handler			.symtab	0x30988	40	OBJECT	<unknown>	HIDDEN	14
__custom_printf_spec			.symtab	0x2d9a8	4	OBJECT	<unknown>	HIDDEN	13
__dl_aux_init			.symtab	0x21208	56	FUNC	<unknown>	DEFAULT	2
__dl_nothread_init_static_tls			.symtab	0x21240	88	FUNC	<unknown>	HIDDEN	2
__dl_phdr			.symtab	0x30d5c	4	OBJECT	<unknown>	DEFAULT	14
__dl_phnum			.symtab	0x30d60	4	OBJECT	<unknown>	DEFAULT	14
__dl_tls_dtv_gaps			.symtab	0x30d50	1	OBJECT	<unknown>	DEFAULT	14
__dl_tls_dtv_slotinfo_list			.symtab	0x30d4c	4	OBJECT	<unknown>	DEFAULT	14
__dl_tls_generation			.symtab	0x30d54	4	OBJECT	<unknown>	DEFAULT	14
__dl_tls_max_dtv_idx			.symtab	0x30d44	4	OBJECT	<unknown>	DEFAULT	14
__dl_tls_setup			.symtab	0x20f40	104	FUNC	<unknown>	DEFAULT	2
__dl_tls_static_align			.symtab	0x30d40	4	OBJECT	<unknown>	DEFAULT	14
__dl_tls_static_nelem			.symtab	0x30d58	4	OBJECT	<unknown>	DEFAULT	14
__dl_tls_static_size			.symtab	0x30d48	4	OBJECT	<unknown>	DEFAULT	14
__dl_tls_static_used			.symtab	0x30d3c	4	OBJECT	<unknown>	DEFAULT	14
__edata			.symtab	0x2dabc	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__end			.symtab	0x30d64	0	NOTYPE	<unknown>	DEFAULT	SHN_ABS
__exit			.symtab	0x1d9e0	104	FUNC	<unknown>	DEFAULT	2
__exit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__fini			.symtab	0x238a0	0	FUNC	<unknown>	DEFAULT	3
__fixed_buffers			.symtab	0x2db74	8192	OBJECT	<unknown>	DEFAULT	14
__fopen.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__fp_out_narrow			.symtab	0x1853c	132	FUNC	<unknown>	DEFAULT	2
__fpmaxtostr			.symtab	0x1f1ec	2036	FUNC	<unknown>	HIDDEN	2
__fpmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__fwrite.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__init			.symtab	0x80d4	0	FUNC	<unknown>	DEFAULT	1
__load_inttype			.symtab	0x1eff0	116	FUNC	<unknown>	HIDDEN	2
__load_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__memcpy			.symtab	0x20470	0	FUNC	<unknown>	HIDDEN	2
__ppfs_init			.symtab	0x18cb4	160	FUNC	<unknown>	HIDDEN	2
__ppfs_init.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__ppfs_parsespec			.symtab	0x18f9c	1392	FUNC	<unknown>	HIDDEN	2
__ppfs_parsespec.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__ppfs_prepargs			.symtab	0x18d54	68	FUNC	<unknown>	HIDDEN	2
__ppfs_prepargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
__ppfs_setargs			.symtab	0x18d98	432	FUNC	<unknown>	HIDDEN	2
__ppfs_setargs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS


Name	Version Info Name	Version Info File Name	Section Name	Value	Size	Symbol Type	Symbol Bind	Symbol Visibility	Ndx
_promoted_size			.symtab	0x18f48	84	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_pop_restore			.symtab	0x1d2fc	44	FUNC	<unknown>	DEFAULT	2
_pthread_cleanup_push_defer			.symtab	0x1d2f4	8	FUNC	<unknown>	DEFAULT	2
_rfill.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_setjmp			.symtab	0x1d96c	8	FUNC	<unknown>	DEFAULT	2
_signintr			.symtab	0x309b0	8	OBJECT	<unknown>	HIDDEN	14
_start			.symtab	0x8194	0	FUNC	<unknown>	DEFAULT	2
_stdio.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_stdio_fopen			.symtab	0x1e974	1120	FUNC	<unknown>	HIDDEN	2
_stdio_init			.symtab	0x182d4	128	FUNC	<unknown>	HIDDEN	2
_stdio_openlist			.symtab	0x2d8d8	4	OBJECT	<unknown>	DEFAULT	13
_stdio_openlist_add_lock			.symtab	0x2db54	12	OBJECT	<unknown>	DEFAULT	14
_stdio_openlist_dec_use			.symtab	0x1fc40	688	FUNC	<unknown>	HIDDEN	2
_stdio_openlist_del_count			.symtab	0x2db70	4	OBJECT	<unknown>	DEFAULT	14
_stdio_openlist_del_lock			.symtab	0x2db60	12	OBJECT	<unknown>	DEFAULT	14
_stdio_openlist_use_count			.symtab	0x2db6c	4	OBJECT	<unknown>	DEFAULT	14
_stdio_streams			.symtab	0x2d8dc	204	OBJECT	<unknown>	DEFAULT	13
_stdio_term			.symtab	0x18354	356	FUNC	<unknown>	HIDDEN	2
_stdio_user_locking			.symtab	0x2d8c0	4	OBJECT	<unknown>	DEFAULT	13
_stdlib_strto_l			.symtab	0x1be68	472	FUNC	<unknown>	HIDDEN	2
_stdlib_strto_l.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_store_inttype			.symtab	0x1f064	44	FUNC	<unknown>	HIDDEN	2
_store_inttype.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_string_syserrmsgs			.symtab	0x2443c	2906	OBJECT	<unknown>	HIDDEN	4
_string_syserrmsgs.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2r.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_trans2w.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_uintmaxtostr			.symtab	0x1f090	348	FUNC	<unknown>	HIDDEN	2
_uintmaxtostr.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_vfprintf_internal			.symtab	0x185c0	1780	FUNC	<unknown>	HIDDEN	2
_vfprintf_internal.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
_wcommit.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
abort			.symtab	0x1b6e0	296	FUNC	<unknown>	DEFAULT	2
abort.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
accept			.symtab	0x19be8	116	FUNC	<unknown>	DEFAULT	2
accept.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
add_auth_entry			.symtab	0x127c8	352	FUNC	<unknown>	DEFAULT	2
anti_gdb_entry			.symtab	0x10c34	24	FUNC	<unknown>	DEFAULT	2
atoi			.symtab	0x1be2c	32	FUNC	<unknown>	DEFAULT	2
atol			.symtab	0x1be2c	32	FUNC	<unknown>	DEFAULT	2
atol.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
attack.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
attack_app.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
attack_get_opt_int			.symtab	0xa4dc	112	FUNC	<unknown>	DEFAULT	2
attack_get_opt_ip			.symtab	0xa470	108	FUNC	<unknown>	DEFAULT	2
attack_get_opt_str			.symtab	0xa0fc	92	FUNC	<unknown>	DEFAULT	2
attack_init			.symtab	0xa54c	748	FUNC	<unknown>	DEFAULT	2
attack_method_http			.symtab	0x81d0	7980	FUNC	<unknown>	DEFAULT	2
attack_method_ovh			.symtab	0x1176c	1708	FUNC	<unknown>	DEFAULT	2
attack_parse			.symtab	0xa254	540	FUNC	<unknown>	DEFAULT	2
attack_start			.symtab	0xa158	252	FUNC	<unknown>	DEFAULT	2
attack_tcp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
attack_tcp_ack			.symtab	0xa838	1784	FUNC	<unknown>	DEFAULT	2
attack_tcp_syn			.symtab	0xaf30	1708	FUNC	<unknown>	DEFAULT	2
attack_udp.c			.symtab	0x0	0	FILE	<unknown>	DEFAULT	SHN_ABS
attack_udp_dns			.symtab	0xbd68	1724	FUNC	<unknown>	DEFAULT	2

## Network Behavior

### Network Port Distribution

Total Packets: 98

- 23 (Telnet)
- 2323 undefined
- 60420 undefined
- 443 (HTTPS)



### TCP Packets

## System Behavior

Analysis Process: KKveTTgaAsecNNaaaa.arm7 PID: 5224 Parent PID: 5116

### General

Start time:	03:58:22
Start date:	10/11/2021
Path:	/tmp/KKveTTgaAsecNNaaaa.arm7
Arguments:	/tmp/KKveTTgaAsecNNaaaa.arm7
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

### File Activities

#### File Read

Analysis Process: KKveTTgaAsecNNaaaa.arm7 PID: 5245 Parent PID: 5224

### General

Start time:	03:58:22
Start date:	10/11/2021
Path:	/tmp/KKveTTgaAsecNNaaaa.arm7
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

Analysis Process: KKveTTgaAsecNNaaaa.arm7 PID: 5246 Parent PID: 5224

### General

Start time:	03:58:22
Start date:	10/11/2021
Path:	/tmp/KKveTTgaAsecNNaaaa.arm7

Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

#### File Activities

#### File Read

#### Analysis Process: KKveTTgaAsecNNaaaa.arm7 PID: 5249 Parent PID: 5246

#### General

Start time:	03:58:22
Start date:	10/11/2021
Path:	/tmp/KKveTTgaAsecNNaaaa.arm7
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

#### Analysis Process: KKveTTgaAsecNNaaaa.arm7 PID: 5252 Parent PID: 5246

#### General

Start time:	03:58:22
Start date:	10/11/2021
Path:	/tmp/KKveTTgaAsecNNaaaa.arm7
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

#### File Activities

#### File Read

#### Directory Enumerated

#### Analysis Process: KKveTTgaAsecNNaaaa.arm7 PID: 5256 Parent PID: 5246

#### General

Start time:	03:58:26
Start date:	10/11/2021
Path:	/tmp/KKveTTgaAsecNNaaaa.arm7
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

#### Analysis Process: KKveTTgaAsecNNaaaa.arm7 PID: 5258 Parent PID: 5246

#### General

Start time:	03:58:26
Start date:	10/11/2021
Path:	/tmp/KKveTTgaAsecNNaaaa.arm7

Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

#### File Activities

#### File Read

#### Directory Enumerated

#### Analysis Process: KKveTTgaAAsecNNaaaa.arm7 PID: 5260 Parent PID: 5246

#### General

Start time:	03:58:26
Start date:	10/11/2021
Path:	/tmp/KKveTTgaAAsecNNaaaa.arm7
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

#### Analysis Process: KKveTTgaAAsecNNaaaa.arm7 PID: 5265 Parent PID: 5260

#### General

Start time:	03:58:26
Start date:	10/11/2021
Path:	/tmp/KKveTTgaAAsecNNaaaa.arm7
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

#### Analysis Process: KKveTTgaAAsecNNaaaa.arm7 PID: 5261 Parent PID: 5246

#### General

Start time:	03:58:26
Start date:	10/11/2021
Path:	/tmp/KKveTTgaAAsecNNaaaa.arm7
Arguments:	n/a
File size:	4956856 bytes
MD5 hash:	5ebfcae4fe2471fcc5695c2394773ff1

#### Analysis Process: systemd PID: 5267 Parent PID: 1

#### General

Start time:	03:58:26
Start date:	10/11/2021
Path:	/usr/lib/systemd/systemd
Arguments:	n/a
File size:	1620224 bytes
MD5 hash:	9b2bec7092a40488108543f9334aab75

Analysis Process: journalctl PID: 5267 Parent PID: 1

General

Start time:	03:58:26
Start date:	10/11/2021
Path:	/usr/bin/journalctl
Arguments:	/usr/bin/journalctl --smart-relinquish-var
File size:	80120 bytes
MD5 hash:	bf3a987344f3bacafc44efd882abda8b

File Activities

File Read

Analysis Process: systemd PID: 5282 Parent PID: 1

General

Start time:	03:58:27
Start date:	10/11/2021
Path:	/usr/lib/systemd/systemd
Arguments:	n/a
File size:	1620224 bytes
MD5 hash:	9b2bec7092a40488108543f9334aab75

Analysis Process: systemd-journald PID: 5282 Parent PID: 1

General

Start time:	03:58:27
Start date:	10/11/2021
Path:	/lib/systemd/systemd-journald
Arguments:	/lib/systemd/systemd-journald
File size:	162032 bytes
MD5 hash:	474667ece6cecb5e04c6eb897a1d0d9e

File Activities

File Deleted

File Read

File Written

File Moved

Directory Enumerated

Directory Created

Analysis Process: xfce4-session PID: 5285 Parent PID: 1900

General

Start time:	03:58:28
Start date:	10/11/2021
Path:	/usr/bin/xfce4-session
Arguments:	n/a
File size:	264752 bytes
MD5 hash:	648919f03ad356720c8c27f5aaaf75d1

### Analysis Process: xfsettingsd PID: 5285 Parent PID: 1900

#### General

Start time:	03:58:28
Start date:	10/11/2021
Path:	/usr/bin/xfsettingsd
Arguments:	xfsettingsd --display :1.0 --sm-client-id 2eab19738-df3b-455c-ba97-1de80472a7b4
File size:	322136 bytes
MD5 hash:	d7ae7090131cf73e021f6c89515f984b

#### File Activities

#### File Read

### Analysis Process: xfsettingsd PID: 5292 Parent PID: 5285

#### General

Start time:	03:58:30
Start date:	10/11/2021
Path:	/usr/bin/xfsettingsd
Arguments:	n/a
File size:	322136 bytes
MD5 hash:	d7ae7090131cf73e021f6c89515f984b

#### File Activities

#### File Read

#### Directory Enumerated

### Analysis Process: xfce4-session PID: 5293 Parent PID: 1900

#### General

Start time:	03:58:30
Start date:	10/11/2021
Path:	/usr/bin/xfce4-session
Arguments:	n/a
File size:	264752 bytes
MD5 hash:	648919f03ad356720c8c27f5aaaf75d1

### Analysis Process: xfsettingsd PID: 5293 Parent PID: 1900

#### General

Start time:	03:58:30
Start date:	10/11/2021
Path:	/usr/bin/xfsettingsd
Arguments:	xfsettingsd --display :1.0 --sm-client-id 2eab19738-df3b-455c-ba97-1de80472a7b4
File size:	322136 bytes
MD5 hash:	d7ae7090131cf73e021f6c89515f984b

#### File Activities

#### File Read

### Analysis Process: xfsettingsd PID: 5296 Parent PID: 5293

#### General

Start time:	03:58:32
Start date:	10/11/2021
Path:	/usr/bin/xfsettingsd
Arguments:	n/a
File size:	322136 bytes
MD5 hash:	d7ae7090131cf73e021f6c89515f984b

#### File Activities

#### File Read

### Analysis Process: xfce4-session PID: 5297 Parent PID: 1900

#### General

Start time:	03:58:32
Start date:	10/11/2021
Path:	/usr/bin/xfce4-session
Arguments:	n/a
File size:	264752 bytes
MD5 hash:	648919f03ad356720c8c27f5aaaf75d1

### Analysis Process: xfsettingsd PID: 5297 Parent PID: 1900

#### General

Start time:	03:58:32
Start date:	10/11/2021
Path:	/usr/bin/xfsettingsd
Arguments:	xfsettingsd --display :1.0 --sm-client-id 2eab19738-df3b-455c-ba97-1de80472a7b4
File size:	322136 bytes
MD5 hash:	d7ae7090131cf73e021f6c89515f984b

#### File Activities

#### File Read

### Analysis Process: xfsettingsd PID: 5300 Parent PID: 5297

General	
Start time:	03:58:34
Start date:	10/11/2021
Path:	/usr/bin/xfsettingsd
Arguments:	n/a
File size:	322136 bytes
MD5 hash:	d7ae7090131cf73e021f6c89515f984b

**File Activities**

**File Read**

**Analysis Process: xfce4-session PID: 5301 Parent PID: 1900**

General	
Start time:	03:58:34
Start date:	10/11/2021
Path:	/usr/bin/xfce4-session
Arguments:	n/a
File size:	264752 bytes
MD5 hash:	648919f03ad356720c8c27f5aaaf75d1

**Analysis Process: xfsettingsd PID: 5301 Parent PID: 1900**

General	
Start time:	03:58:34
Start date:	10/11/2021
Path:	/usr/bin/xfsettingsd
Arguments:	xfsettingsd --display :1.0 --sm-client-id 2eab19738-df3b-455c-ba97-1de80472a7b4
File size:	322136 bytes
MD5 hash:	d7ae7090131cf73e021f6c89515f984b

**File Activities**

**File Read**

**Analysis Process: xfsettingsd PID: 5306 Parent PID: 5301**

General	
Start time:	03:58:36
Start date:	10/11/2021
Path:	/usr/bin/xfsettingsd
Arguments:	n/a
File size:	322136 bytes
MD5 hash:	d7ae7090131cf73e021f6c89515f984b

**File Activities**

**File Read**

**Analysis Process: xfce4-session PID: 5307 Parent PID: 1900****General**

Start time:	03:58:36
Start date:	10/11/2021
Path:	/usr/bin/xfce4-session
Arguments:	n/a
File size:	264752 bytes
MD5 hash:	648919f03ad356720c8c27f5aaaf75d1

**Analysis Process: xfsettingsd PID: 5307 Parent PID: 1900****General**

Start time:	03:58:36
Start date:	10/11/2021
Path:	/usr/bin/xfsettingsd
Arguments:	xfsettingsd --display :1.0 --sm-client-id 2eab19738-df3b-455c-ba97-1de80472a7b4
File size:	322136 bytes
MD5 hash:	d7ae7090131cf73e021f6c89515f984b

**File Activities****File Read****Analysis Process: xfsettingsd PID: 5310 Parent PID: 5307****General**

Start time:	03:58:38
Start date:	10/11/2021
Path:	/usr/bin/xfsettingsd
Arguments:	n/a
File size:	322136 bytes
MD5 hash:	d7ae7090131cf73e021f6c89515f984b

**File Activities****File Read****Analysis Process: systemd PID: 5315 Parent PID: 1****General**

Start time:	03:58:40
Start date:	10/11/2021
Path:	/usr/lib/systemd/systemd
Arguments:	n/a
File size:	1620224 bytes
MD5 hash:	9b2bec7092a40488108543f9334aab75

**Analysis Process: journalctl PID: 5315 Parent PID: 1**

**General**

Start time:	03:58:40
Start date:	10/11/2021
Path:	/usr/bin/journalctl
Arguments:	/usr/bin/journalctl --flush
File size:	80120 bytes
MD5 hash:	bf3a987344f3bacafc44efd882abda8b

**File Activities**

**File Read**